

Highlands Environmental
Resource Inventory for the
Califon Borough

2009

Table of Contents

Purpose and Scope.....	4
Highlands Region.....	5
Land Use Capability Map Series	5
Highlands Subwatersheds.....	8
Forest Resources.....	9
Highlands Open Waters and Riparian Areas.....	11
Steep Slopes Protection Areas.....	15
Critical Habitat.....	17
Land Preservation and Stewardship.....	20
Carbonate Rock Areas.....	23
Lake Management Area.....	24
Water Resources Availability	26
Prime Ground Water Recharge Areas.....	29
Water Quality.....	30
Wellhead Protection	32
Septic System Yield	34
Agricultural Resources.....	35
Historic, Cultural, and Archaeological Resources.....	38
Scenic Resources.....	38
Contaminated Sites.....	39
Infrastructure	40
Water and Wastewater Utilities.....	40
Roadway and Transit.....	41

Deleted: 15

Deleted: 15

Deleted: 17

Deleted: 17

Deleted: 20

Deleted: 20

Deleted: 23

Deleted: 23

Deleted: 24

Deleted: 24

Deleted: 26

Deleted: 26

Deleted: 282828

Deleted: 30

Deleted: 30

Deleted: 32

Deleted: 32

Deleted: 34

Deleted: 33

Deleted: 35

Deleted: 35

Deleted: 373737

Deleted: 38

Deleted: 38

Deleted: 39

Deleted: 39

Deleted: 40

Deleted: 40

Deleted: 40

Deleted: 40

Deleted: 41

Deleted: 41

Highlands Environmental Resource Inventory for the Borough of Califon
CONFIDENTIAL AND DELIBERATIVE MATERIAL

Deleted: [insert municipal name]

Figure 1. Preservation Area	42	Deleted: 42
Figure 2. Land Use Capability Map Zones	43	Deleted: 41
Figure 3. HUC 14 Boundaries	44	Deleted: 434341
Figure 4. Forest Resource Area	45	Deleted: 44
Figure 5. Total Forest Area	46	Deleted: 41
Figure 6. Forest Subwatersheds	47	Deleted: 45
Figure 7. Highlands Open Waters	48	Deleted: 41
Figure 8. Highlands Riparian Areas	49	Deleted: 454541
Figure 9. Watershed Value.....	50	Deleted: 464641
Figure 10. Riparian Integrity	51	Deleted: 474741
Figure 11. Steep Slopes Protection Areas.....	52	Deleted: 484841
Figure 12. Critical Wildlife Habitat	53	Deleted: 494941
Figure 13. Preserved Lands (includes: Preserved farmlands, Federal, State, County, Municipal, Non-profit & Authorities, and Conservation easements)	54	Deleted: 505041
Figure 14. Highlands Conservation Priority Areas	55	Deleted: 515141
Figure 15. Carbonate Rock Area.....	56	Deleted: Figure 12. Critical Wildlife Habitat 5241
Figure 16. Lake Management Area	57	Deleted: Error! Hyperlink reference not valid. Figure 13. Significant Natural Areas 5341
Figure 17. Net Water Availability.....	58	Deleted: Figure 14. Vernal Pools 5441
Figure 18. Prime Ground Water Recharge Areas	59	Deleted: 15
Figure 19. HUC 14s on NJDEP Impaired Waters List	60	Deleted: 545441
Figure 20. Wellhead Protection Areas.....	61	Deleted: Figure 16. Highlands Conservation Priority Areas 5441
Figure 21. Agricultural Resource Area	62	Deleted: 1
Figure 22. Highlands Agricultural Priority Area	63	Deleted: 20...7. Net Water Availability 59
Figure 23. Preserved Farms, SADC Easements, All Agricultural Uses	64	Deleted: 21...8. Prime Ground Water Recharge
Figure 24. Important Farmland Soils.....	64	Deleted: 22...9. HUC 14s on NJDEP Impaired
Figure 25. Historic, Cultural, and Archeological Resources Inventory.....	66	Deleted: 23...0. Wellhead Protection Areas 62
Figure 26. Baseline Scenic Resources Inventory.....	67	Deleted: 24...1. Agricultural Resource Area 63
Figure 27. Highlands Contaminated Site Inventory.....	68	Deleted: 5... Highlands Agricultural Priority
Figure 28. Public Community Water Systems	69	Deleted: 26...3. Preserved Farms, SADC
Figure 29. Highlands Roadway Network	70	Deleted: 7.
Figure 30. Highlands Transit Network	71	Deleted: 65
Appendix A. Preserved Land		Deleted: 41
Appendix B. Potable Water		Deleted: 28...5. Historic, Cultural, and
Appendix C. RMP Updates		Deleted: 29...6. Baseline Scenic Resources
		Deleted: 30...7. Highlands Contaminated Site
		Deleted: 31...8. Public Community Water
		Deleted: Error! Hyperlink reference not
		Deleted: 33...9. Highlands Roadway Network
		Deleted: Figure 34. Highlands Transit
		Formatted

Deleted: [insert municipal name]

Purpose and Scope

An Environmental Resource Inventory (ERI), sometimes called a Natural Resource Inventory, identifies and depicts the natural and cultural resources present in a community. Natural resources maps and accompanying narrative provide the basis for inventorying a community's natural resource components and provide the base source for resource conservation. Identifying a community's natural resources is the first step toward establishing mechanisms for their protection. As an integral component of a master plan, an ERI functions as the basis for development of natural resources protection ordinances.

The purpose of the Highlands Environmental Resource Inventory Addendum (ERI Addendum) is to provide a framework that supports the efforts of ~~Califon Borough~~ to bring its master plan, including the ERI, into conformance with the RMP. The ERI Addendum is one requirement for Basic Plan Conformance. It provides critical support to the Conservation Plan Element of the municipal master plan related to implementation of resource protection requirements in the land use ordinance and health codes of ~~Califon Borough~~. Additional modifications to the ERI will occur during later stages of the Plan Conformance process to more fully address requirements of the RMP and to integrate the Highlands provisions of the ERI with the existing ERI of this municipality.

Deleted: |

Deleted: [insert municipality name]

Formatted: Highlight

Deleted: |

Deleted: [insert municipality name]

~~This document is an addendum to the Califon Borough Environmental Resource Inventory (2004) prepared by the Califon Borough Environmental Commission, with assistance from the Stony Brook-Millstone Watershed Association and Hunterdon County Planning Board. Since this document was prepared prior to the adoption of the Highlands Regional Master Plan, the environmental policies of the RMP are not reflected in the Environmental Resource Inventory (ERI). This addendum serves to update the 2004 ERI.~~

Formatted: Highlight

Formatted: Highlight

Formatted: Highlight

Deleted: |

Highlands Region

In the Highlands Water Protection and Planning Act (Highlands Act) the Legislature designated specific boundaries within the Highlands Region as the Preservation Area and the Planning Area. These boundaries were delineated by the Legislature in the Highlands Act, and as a legislative enactment, are not subject to modification through the Conformance Process.

The fundamental distinction between the Preservation and Planning Areas is that municipal and county conformance with the RMP is required in the Preservation Area and is voluntary in the Planning Area. The Preservation Area consists of nearly 415,000 acres of the Highlands Region 859,358 acres, and is located in 52 municipalities within the seven Highlands Counties. The lands within the Preservation Area were subject to the immediately effective standards in the Highlands Act and are governed by rules and regulations subsequently adopted by the NJDEP. The Planning area consists of nearly 445,000 acres and is located in 83 municipalities. There are five municipalities located entirely within the Preservation Area, 47 municipalities that have land in both the Preservation and Planning Areas, and 36 municipalities that have land only in the Planning Area.

Through passage of the Highlands Act, the New Jersey Highlands Water Protection and Planning Council (Highlands Council) was created and charged with the important task of developing the RMP to restore and enhance the significant values of the abundant and critical resources of the Highlands Region. Through conformance by municipalities and counties, the RMP will provide for the protection and preservation of significant values of the Highlands Region for the benefit of its residents.

Califon Borough is located within the Preservation Area in its entirety. (Figure D).

Deleted:

Deleted: number

Formatted: Highlight

Deleted: [insert municipality name]

Deleted: entirely within

Formatted: Font: Not Italic

Deleted: insert Preservation Area and/or Planning Area

Deleted: [insert]

Deleted: [insert]

Land Use Capability Map Series

The Highlands Act requires that the RMP include a land use capability map and a comprehensive statement of policies for planning and managing the development and use of land based upon the results of the Council's resource assessment and smart growth analysis. The RMP requires that future land use in the Highlands Region be guided by the RMP's Land Use Capability Map (LUCM) Series. The LUCM Series includes components necessary to protect the natural, scenic and other Highlands resources, including but not limited to, agriculture, forests, wetlands, stream corridors, steep slopes, and critical habitat for flora and fauna.

The Land Use Capability Zone map depicts overlay zones to establish areas that address distinguishing circumstances or landscape features. The overlay zones are superimposed over existing municipal zoning and are intended to provide a means to address issues of special public interest (e.g. watershed management area, open space preservation, historic preservation, urban enterprise zone) that the underlying base zoning may not otherwise take into consideration. The Land Use Capability Zone Map is one of the five capability maps that support the RMP. The LUCM Series also includes: Water Availability Map; Public Community Water Systems Map; Domestic Sewerage Facilities Map, and the Septic System Yield Map.

In the Highlands Region, overlay zones will provide all levels of government (federal, State, county and municipal) and the public with an indication of areas where special consideration is required to protect regionally significant resources. Overlay zones also indicate where and how development initiatives may occur based on the ability of areas to accommodate growth. The Highlands LANDS model was designed to

develop the overlay zones each with their own purpose, application, and minimum standards as generally discussed below and these will collectively be referred to as overlay designations.

These overlay zones distinguish between resource constrained lands, where development will be limited (Protection Zone), and those lands characterized by existing patterns of human development where, dependent on municipal planning, land or capacity constraints, additional growth may or may not be appropriate (Existing Community Zone). The Conservation Zone identifies those areas with a high concentration of agricultural lands and associated woodlands and environmental features, where development potential may exist to the extent it is not limited by available infrastructure to support development (e.g. water availability, the existence of concentrated environmental resources that are easily impaired by development, the protection of important agricultural resources).

The four sub-zones represent regionally significant sensitive environmental features, in most of which development is subject to stringent limitations on the extension or creation of water and wastewater services; however, they do not incorporate all environmental constraints and other factors that may be considered during local development review and Highlands Project Review. Of the four sub-zones, the Lake Community Sub-Zone is the only one where the provision of public wastewater or water supply services is not restricted in the Planning Area. Preservation Area restrictions on the creation or extension of public wastewater or water supply services apply in all zones and sub-zones.

The Land Use Capability Zones include the following:

The Protection Zone (PZ) consists of high resource value lands that are important to maintaining water quality, water quantity, and sensitive ecological resources and processes. Land acquisition is a priority in the Protection Zone and development activities will be extremely limited; any development will be subject to stringent limitations on consumptive and depletive water use, degradation of water quality, and impacts to environmentally sensitive lands. The LANDS model uses a 75 acre minimum mapping threshold for the delineation of the Protection Zone.

The Wildlife Management Sub-Zone (WM) consists of all National Wildlife Refuges managed by the United States Fish and Wildlife Service and Wildlife Management Areas administered by the NJDEP Division of Fish & Wildlife's Bureau of Land Management, within the Highlands Region. These areas are part of a network of lands and waters for conservation, management, and where appropriate, restoration of fish, wildlife, and plant resources and their habitats and permit compatible wildlife-dependent recreational uses, such as hunting, fishing, wildlife observation and photography, and environmental education and interpretation. There is no minimum mapping threshold for the delineation of the Wildlife Management Sub-Zone.

The Conservation Zone (CZ) consists of areas with significant agricultural lands and interspersed with associated woodlands and environmental features that should be preserved when possible. Non-agricultural development activities will be limited in area and intensity due to infrastructure constraints and resource protection goals. The LANDS model uses a 75 acre minimum mapping threshold for the delineation of the Conservation Zone.

The Conservation Zone – Environmentally Constrained Sub-Zone (CZ-EC) consists of significant environmental features within the Conservation Zone that should be preserved and protected from non-agricultural development. Development activities will be constrained through restrictions on the extension or

creation of water supply and wastewater services. The LANDS model uses a 10 acre minimum mapping threshold for the delineation of the Conservation Zone – Environmentally Constrained Sub-Zone.

The Existing Community Zone (ECZ) consists of areas with regionally significant concentrated development signifying existing communities. These areas tend to have limited environmental constraints due to previous development patterns and may have existing infrastructure that can support development and redevelopment provided that such development is compatible with the protection and character of the Highlands environment, at levels that are appropriate to maintain the character of established communities. The LANDS model used a 75 acre minimum mapping threshold for the delineation of the Existing Community Zone.

The Existing Community Zone – Environmentally Constrained Sub-Zone (ECZ-EC) consists of significant environmental features within the Existing Community Zone that should be protected from further fragmentation. They serve as regional habitat “stepping stones” to larger contiguous critical habitat and forested areas. As such, they are not appropriate for significant development and are best served by land preservation and protection. Development is constrained through restrictions on the extension or creation of water supply and wastewater services. The LANDS model used a 2 acre minimum mapping threshold for the delineation of the Existing Community Zone – Environmentally Constrained Sub-Zone.

The Lake Community Sub-Zone (LCZ) consists of patterns of community development around lakes that are within the Existing Community Zone and within 1,000 feet of lakes. The LANDS model focuses on lakes 10 acres or greater and delineates this zone as consisting of an area of up to 1,000 feet (depending on the protection focus) from the lake shoreline in order to protect water quality, resource features, shoreline development recreation, scenic quality and community character. A future management area is planned, encompassing the full lake watershed, for protection of the lake water quality. This sub-zone has unique policies to prevent degradation of water quality and watershed pollution, harm to lake ecosystems, and promote natural aesthetic values within the Existing Community Zone. The LANDS model used a 2 acre minimum mapping threshold for the delineation of the Lake Community Sub-Zone.

Califon Borough includes the Protection Zone (279.6 acres), the Conservation Zone (39.5 acres), the Existing Community Zone (263.0 acres), Existing Community Environmentally Constrained Sub-Zone (15.2 acres) and Conservation Environmentally Constrained Sub-Zone (34.2) as illustrated in Figure 2. The remaining LUCM Series Maps are included in their respective sections within the ERI. Net Water Availability Map Figure 17 is described in the Water Availability Section. The Public Community Water Systems Map Figure 28 is described in the Utilities Section.

Deleted: []

Deleted: [insert municipality name]

Deleted: []

Formatted: Font: Not Italic

Deleted: [insert the LUC Zones]

Deleted: []

Deleted: [insert]

Deleted: [number]

Deleted: []

Deleted: [insert]

Deleted: []

Deleted: [number]

Deleted: [insert]

Deleted: []

Deleted: [number] and the Domestic Sewerage Facilities Map [insert Figure number]

Deleted: are

Deleted: [insert municipal name]

Highlands Subwatersheds

For many of the Region's natural resources, the Highlands Council utilized a watershed-based assessment to evaluate resource integrity and protection needs. A watershed describes an area of land from which all water, above ground (e.g., rain and snowmelt) and below ground (e.g. ground water), drains to the same point. Nearly all watersheds in New Jersey are part of larger watersheds, and may range in size from a few acres to thousands of square miles.

Water moves through a network of drainage pathways, both underground and on the surface, and these pathways converge into streams and rivers, which become progressively larger in size (i.e., higher order) as the water moves downstream and the size of the contributing drainage area increases. The connectivity of streams is the primary reason for doing assessments at the watershed level. Because water moves downstream, any activity that affects the water quality, quantity, or rate of movement at one location can affect locations downstream. The watershed boundaries used for the analysis in the RMP were 14-digit Hydrologic Units (i.e., subwatersheds or HUC14s). A HUC14 subwatershed is an area within which water drains to a surface water body. It is the smallest geographic unit in a watershed classification system created by the US Geological Survey. There are 183 HUC14 subwatersheds that are located partially or entirely within the Highlands Region.

Formatted: Highlight

Califon Borough includes portions of, or entire three HUC14 subwatersheds, as depicted on Figure 3.

HUC 14 Subwatersheds	HUC 14 SW Name
<u>0203010501007Q</u>	<u>Raritan R SB(StoneMill gage to Califon)</u>
<u>0203010501006Q</u>	<u>Raritan R SB(Califon br to Long Valley)</u>
<u>0203010505008Q</u>	<u>Rockaway Ck (above McCrea Mills)</u>

Source: NJ Highlands Council

The Raritan River South Branch (Stone Mill gage to Califon) HUC 14 Subwatershed comprises 336.6 acres within the Borough. Raritan River South Branch (Califon Bridge to Long Valley) occupies 282.3 acres, while the Rockaway Creek (above McCrea Mills) encompasses 12.6 acres.

Deleted: The [insert municipal name]

Deleted: [insert number]

Deleted: Figure [insert]

Formatted: Highlight

Formatted: Highlight

Deleted: [

Deleted: [

Deleted: (

Deleted: [number]

Formatted Table

Deleted: *Insert HUC 14 Subwatershed ID

Deleted: *Insert HUC 14 Subwatershed SW Name

Deleted: Insert HUC 14 Subwatershed ID

Deleted: Insert HUC 14 Subwatershed SW Name

Deleted: Insert HUC 14 Subwatershed ID

Deleted: Insert HUC 14 Subwatershed SW Name

Deleted: *Use HUC Data tab in Data Table

Formatted: Highlight

Formatted: Highlight

Forest Resources

The forests of the Highlands Region provide essential ecosystem functions, including surface water filtration, which is important to protecting essential drinking water supplies for the Highlands Region, and air filtration, which helps to reduce the effects of global warming through carbon sequestration. Forests also serve as habitat for animal and plant species and are critically important to maintenance of biodiversity in the Highlands Region. In addition, properly managed, they provide an important renewable source of wood products.

Historically, forests were the predominant land cover of the Highlands. Today, more than half of the Highlands Region consists of upland and wetland forested communities (approximately 464,200 acres or 54% of the total of land area). Despite increasing forest loss due to land development patterns, the Highlands Region still includes extensive areas of relatively intact forested tracts. More than half of the existing forests in the Highlands Region consist of contiguous forested tracts greater than 500 acres in size.

Protecting the integrity of Highlands forests is dependent on maintaining large contiguous forested areas and healthy forest stands. Large contiguous forest tracts have a higher degree of interior, or core, forest. Interior or core forests provide important ecological values. Core forest habitat is defined as a forest located more than 300 feet from altered land or a road. Approximately 44% of the total Highlands Region forest area is core forest habitat. It is important to note, however, that even these large contiguous areas may consist of many smaller parcels under individual ownership. This presents a significant challenge in efforts to manage forest for sustained ecological and water quality benefits.

Increased fragmentation of forest tracts is occurring due to land use alterations. This fragmentation results in quantifiable landscape level changes which include increased edge, reduced forest interior, increased number of patches, forest patch isolation, and reduced habitat area. Historical and current forest losses due to changes in land development patterns and poor management activities threaten the protection of the region's wildlife, water quality, air quality, and overall ecosystem health.

Sustainable forestry becomes more difficult as woodlot sizes decrease, particularly with increased suburbanization occurring around larger properties. Deer overabundance and introduction of non-native pest species are of significant threat to the region's forest. An overabundance of white tailed deer, in particular, is detrimental to forest health and regeneration due to over-browsing.

The Highlands Council assessed the ecological integrity of forests through the examination of landscape level characteristics at both the forest patch and subwatershed (HUC14) level, utilizing measures of forest fragmentation, to identify where regionally significant forests are located in the Highlands Region. These are the forests that are most suited to support ecological processes. The result of this assessment is the spatial delineation of the Forest Resource Area within the Highlands Region. The Forest Resource Area includes high ecological value forest areas including those forested areas that exhibit the least fragmentation and are vital for the maintenance of ecological processes.

The Highlands Council spatially delineated the Forest Resource Area by including those forested areas that express one or more of the following indicators – a contiguous forest patch of equal to or greater than 500 acres in size, an area consisting of >250 acres of core forest area greater than 300 feet from an altered edge, or areas that include >45% of mean total forest cover, and mean distance to nearest patch (HUC14 only).

Highlands Environmental Resource Inventory for the Borough of Califon
CONFIDENTIAL AND DELIBERATIVE MATERIAL

Deleted: [insert municipality name]

In addition, the Highlands Council assessed forest cover integrity in the Highlands Region at the watershed level. Forests are important for the protection of water quality and quantity. To assess forest cover integrity at a subwatershed level, the Highlands Council assigned a value class to each of the 183 HUC14 subwatersheds in the Highlands Region as follows:

- High Integrity Forest Area – predominantly forested, including a high proportion of forest cover consisting of high core area, large patch size, and a low distance to nearest patch.
- Moderate Integrity Forest Area – predominantly forested, but do not exhibit a high proportion of forest cover, core area or patch size and an increase in distance to nearest patch.
- Low Integrity Forest Area – predominantly non-forested or include low values for proportion of forest cover and patch size, or a high distance to nearest patch.

Each subwatershed within the Highlands Region was evaluated, using these indicators of forest watershed integrity to identify forested subwatersheds that provide important water quality benefits. The Forest Resource Area and the Forest Integrity Indicators are used in the Highlands RMP to achieve the protection of forest areas in the Highlands Region.

Califon Borough contains 302.2 acres of Forest Resource Areas, as depicted on Figure 4. The Borough of Califon contains 275.2 acres of Total Forest, as depicted on Figure 5. The HUC14 subwatershed scores for forest integrity for Califon Borough are outlined in the table below, and are depicted on Figure 6.

HUC 14 Subwatersheds	HUC 14 SW Name	Forest Integrity Score
<u>02030105010070</u>	<u>Raritan R SB(StoneMill gage to Califon)</u>	<u>HIGH</u>
<u>02030105010060</u>	<u>Raritan R SB(Califon br to Long Valley)</u>	<u>HIGH</u>
<u>02030105050080</u>	<u>Rockaway Ck (above McCrea Mills)</u>	<u>MOD</u>

Source: NJ Highlands Council

Deleted: The [Insert municipality name]

Deleted: |

Deleted: [insert acres]

Formatted: Font: (Default) Garamond, Highlight

Formatted: Font: (Default) Garamond, Not Italic, Highlight

Deleted: [Use ERI Data tab in Data Table]

Formatted: Font: (Default) Garamond, Italic

Deleted: XX

Deleted: [Insert municipality name]

Formatted: Font: (Default) Garamond, Italic, Highlight

Deleted: |

Formatted: Font: (Default) Garamond, Not Italic, Highlight

Deleted: |

Deleted: [insert acres]

Formatted: Font: (Default) Garamond, Italic

Deleted: XX

Formatted: Font: (Default) Garamond, Italic, Highlight

Deleted: |

Formatted: Font: (Default) Garamond, Highlight

Deleted: [Insert municipality name]

Formatted: Font: (Default) Garamond, Italic

Formatted: Font: (Default) Garamond, Italic, Highlight

Deleted: [insert Figure number]

Formatted Table

Deleted: [Insert HUC 14 Subwatershed ID]

Deleted: [Insert Forest Integrity Score]

Deleted: [Insert HUC 14 Subwatershed SW Name]

Deleted: [Insert HUC 14 Subwatershed ID]

Deleted: [Insert Forest Integrity Score]

Deleted: [Insert HUC 14 Subwatershed SW Name]

Deleted: [Insert HUC 14 Subwatershed ID]

Deleted: [Insert Forest Integrity Score]

Deleted: [Insert HUC 14 Subwatershed SW Name]

Deleted: *Use HUC Data tab in Data Table

Highlands Open Waters and Riparian Areas

Highlands Open Waters are a critical public trust resource and an essential source of drinking water for New Jersey. These waters and the associated Riparian Areas provide protection against floods and help to ameliorate the affects of prolonged droughts. They are also important habitat for numerous plant and animal species including many endangered and threatened in the State. Highlands Open Waters also provide a wealth of agricultural, recreational and aesthetic uses for both residents and visitors alike, helping to contribute to a vibrant regional economy.

Highlands Open Waters include all springs, wetlands, intermittent or ephemeral streams, perennial streams, and bodies of surface water, whether natural or artificial, located wholly or partially within the boundaries of the Highlands Region. Specific definitions for the various types of Highlands Open Waters follow:

- **Stream** – A surface water drainage channel with definite bed and banks. A stream can be perennial, intermittent, or ephemeral. Perennial streams have a permanent flow of water. Many perennial streams are shown as “blue line” watercourses on United States Geological Survey Quadrangle Maps. Intermittent and ephemeral streams do not have a permanent flow of surface water. Surface water flow in an intermittent stream generally occurs for several weeks or months, due to seasonal precipitation and/or ground water discharge to the channel. Surface water flow in an ephemeral stream generally occurs after rain events, and typically lasts a few hours to days following the rain event.
- **Lake/Pond** - Any impoundment of water, whether naturally occurring, or created in whole or in part by the building of structures for the retention of surface water.
- **Seep** – The natural movement of water from below ground to the ground surface, many times forming a pool.
- **Spring** – A point where ground water flows from the ground to the surface creating a flow of water, representing the point where an aquifer meets the ground surface. Springs may be ephemeral or perennial.
- **Vernal Pool** – NJDEP defines vernal habitat as the following (N.J.A.C. 7:7A-1.4): 1) occurs in a defined basin depression without a permanent flowing outlet; 2) features evidence of breeding by one or more species of fauna adapted to reproduce in ephemeral aquatic conditions as identified in N.J.A.C. 7:7A; 3) maintains ponded water for at least two continuous months between March and September of a normal rainfall year; and 4) is free of fish throughout the year, or dries up at some time during a normal rainfall year.
- **Wetland** – NJDEP defines a freshwater wetland as an area that is inundated or saturated by surface water or ground water at a frequency and duration sufficient to support, and that under normal circumstances does support, a prevalence of vegetation typically adapted for life in saturated soil conditions, commonly known as hydrophytic vegetation; provided, however, that the Department, in designating a wetland, shall use the three-parameter approach (that is, hydrology, soils, and vegetation) enumerated in the 1989 Federal Manual as defined in N.J.A.C. 7:7A-1.4.

The Highlands Council prepared a Highlands Open Waters Inventory using three primary GIS-based spatial data sets: 1) NJDEP 2002 Land Use/Land Cover (LU/LC); 2) NJDEP 2002 Hydrography Draft (HYDRO) mapping; and 3) the Highlands Council Supplemental Headwater Stream Delineation.

The Highlands RMP requires a 300 foot protection area buffer around all Highlands Open Waters. Key functional values that Highlands Open Waters buffers provide or contribute to include, but are not limited to, habitat, stormwater and flood water retention and filtration, water quality protection, temperature moderation, aquatic ecosystem integrity and channel integrity. The RMP features a mitigation requirement, which requires demonstration of no net loss of functional value of a protection area buffer through the conduct of a Highlands Open Waters buffer functional value assessment. The functional value assessment entails analysis of the following Highlands Open Waters buffer functions:

- **Habitat** – No net loss of instream food sources and no net loss of terrestrial and aquatic habitat functional value due to a shift to a less valuable overall vegetative condition in the protection buffer based on the following continuum from highest to lowest: forest or wetland, scrub/shrub, pasture or meadow, agriculture, maintained lawn, unpaved impervious surface, and other structures;
- **Water Quality** – A degradation of this functional value will occur if, as a result of the proposed land conversions, pollutant loads increase to the Highlands Open Waters;
- **Temperature Moderation** – A loss in temperature moderation functional value will occur if changes to the existing vegetation result in reduced shading of the Highlands Open Waters or stormwater that discharges to Highlands Open Waters. Further, a loss in temperature moderation functional value may occur with the heating of stormwater by new structures and other impervious surface. Mitigation approaches include removing or relocating impervious surfaces away from the Highlands Open Water or ensuring that stormwater temperature is reduced through shading or other techniques; and
- **Channel Integrity** – A loss of channel integrity functional value will occur if the project will result in: the loss of bank stabilizing vegetation; the placement of infrastructure that can be feasibly located outside the stream corridor; an increase in the peak rate of stream flow generated, or in localized scour potential, that will increase stream bank and stream bed erosion; or the removal or burial of aquatic habitat in any substantial part of a stream bed or for threatened or endangered species.

Riparian Areas are hydrologically connected to surface water through overland surface runoff, hydric soils, wetlands, or subsurface flow. They serve as an interface between surface water bodies (e.g., streams, rivers, lakes, or reservoirs) and terrestrial ecosystems. Riparian areas moderate fluctuations in water temperature, help maintain ground water recharge and stream base flow, stabilize stream banks, and provide flood storage areas. During high flow or overland runoff events, riparian areas reduce erosion and sediment loads to surface water and remove excess nutrients and contaminants from flood water. Riparian areas also provide habitat and for a variety of animal species and support terrestrial and aquatic food webs through deposition of woody debris.

Riparian areas in the Highlands Region were defined and mapped by the Highlands Council using hydrologic properties of land cover, soil, and evidence of periodic inundation or saturation. Riparian areas include the integration of Highlands Open Waters with their associated flood prone areas, riparian soils, and wildlife corridors. A single riparian GIS coverage was created by joining flood prone area, riparian soil, wetland and stream, and wildlife corridor coverages to create a combined riparian area map. Each is described in more detail below.

Highlands Environmental Resource Inventory for the Borough of Califon
CONFIDENTIAL AND DELIBERATIVE MATERIAL

Deleted: [insert municipal name]

- **Highlands Open Waters** – defined as all mapped rivers, lakes, streams and wetlands that are adjacent to and hydraulically interconnected with a river or stream as identified in the Highlands Open Water Inventory.
- **Flood Prone Areas** – defined as NJDEP documented and undocumented flood prone areas and Federal Emergency Management Agency (FEMA) 100-year floodplain.
- **Riparian Soils** – defined as a hydric soil, a soil exhibiting a shallow depth to seasonal high water table, or alluvial soil.
- **Wildlife Corridors** – defined as a 300-foot corridor on each mapped stream bank or from the stream centerline if no stream bank is mapped.

Highlands Open Waters and Riparian Areas located within Califon Borough, are depicted on Figures 7 and 8 respectively. This includes 2.9 miles of streams, 12.1 acres of lakes, and ponds, no wetlands, 191.2 acres of open water protection areas, and 272.4 acres of riparian areas. Note that according to NJDEP wetlands data (NJDEP Wetlands of Hunterdon County, 1986), there are 0.43 acres located adjacent to the South Branch of the Raritan River. This is shown on mapping in the 2004 Califon Borough ERI.

Califon Borough is bisected by the South Branch of the Raritan River, which parallels the Columbia Trail, as it flows in a southwesterly direction through the Borough. There are several tributaries to the River that traverse the Borough as well. All waterways in Califon are classified as Category One waters.

The central core of the Borough is located at the bottom of steeply sloping areas. This produces rapid flow of streams to the core and flooding. During the 19th century, natural waterways were diverted and drainageways built to collect and convey stormwater to waterpower sites in the central historic district. Considerable segments of these natural drainage courses and early manmade infrastructure systems still remain in place, but they are unable to convey modern day runoff.

A recurring flooding problem exists along an unnamed tributary that crosses a natural, wooded area between Academy Street and Main Street. Flows overtop the existing channel and then travel overland along Railroad Avenue and Main Street. Califon Borough is served exclusively by individual on-site septic systems. During flood events, groundwater recharge is reduced. At the same time, suspended solids and floatables bypass normal catchments, inundating septic systems and degrading water quality of receiving waters.

Califon Borough held initial meetings with Highlands Council staff, and representatives of the South Branch Watershed Association and Hunterdon County Roads and Bridges Department to discuss the need to address this issue. The problem was determined to be inadequate capacity of the stormwater conveyance system of open channels, pipes and culverts. As such, Califon determined that it would be important to address this issue and in so doing, meet current stormwater rules and water quality standards within the framework of the Highlands Preservation Area Rules and the municipal stormwater management plan. In 2008, the Borough obtained \$5,000 through the Highlands Council Initial Assessment Grant Program to launch a study. The stated goal of this initial study phase was to define the tributary watersheds, inventory primary drainage features and identify sensitive environmental resources related to the stream corridor.

The Califon Borough – Initial Assessment Grant Stream Corridor Study was prepared by Donald Scott, Jr., P.E. of Keller & Kirkpatrick in March 2009 and submitted to the Highlands Council, together with an Initial

Deleted: [insert municipality name]

Deleted: [insert Figure numbers]

Formatted: Font: Italic

Deleted: |

Deleted: [insert total stream length]

Deleted: |

Deleted: [insert acres of wetlands, lakes, ponds]

Deleted: wetlands,

Formatted: Highlight

Deleted: |

Deleted: [insert acres of open water protection areas]

Deleted: |

Deleted: [insert acres of riparian areas]

Deleted: [Use ERI Data tab in Data Table]. [The narrative can include issues regarding water quality and aquatic habitat protection and opportunities for Highlands Open Waters restoration].

Formatted: Highlight

Deleted: ¶

Formatted: Highlight

Formatted: Highlight

Deleted: results in

Formatted: Highlight

Deleted: |

Formatted: Superscript, Highlight

Formatted: Highlight

Formatted: Highlight

Formatted: Highlight

Formatted: Highlight

Deleted: ¶

Formatted: Highlight

Deleted: |

Deleted: ¶

Formatted: Highlight

Formatted: Highlight

Highlands Environmental Resource Inventory for the Borough of Califon
CONFIDENTIAL AND DELIBERATIVE MATERIAL

Deleted: [insert municipal name]

Assessment Grant Report prepared for the Borough by GROUPmelvinDESIGN. The Stream Corridor Study included three tasks. The first task involved a detailed field reconnaissance survey to document and map the stream corridor and surrounding drainage areas and identify existing drainage features. Drainage facilities included natural streams, constructed channels, culverts, cross drains, and inlets. The following two tasks included wetlands data base research, and compilation of existing mapped information. The outcome of these tasks will be used to identify critical environmental features and prepare a comprehensive stream corridor improvement plan.

Deleted: §

Formatted: Font: 14 pt, Highlight

Formatted: Highlight

Formatted: Highlight

Formatted: Highlight

The Highlands Council utilized a watershed-based assessment to evaluate the integrity and protection needs of Highlands Open Waters at the HUC14 subwatershed level. The Highlands Council assigned a watershed value class to each HUC14 subwatershed in the Highlands Region based on a cumulative assessment of selected watershed indicators. The Council created the following watershed value classes for the Highlands subwatersheds:

Deleted: ¶

- **High Resource Value Watershed** – A high resource value watershed contains predominantly forest lands and includes a significant portion of the watershed that is high quality habitat. A high value watershed typically consists of limited pre-existing developed land within the watershed;
- **Moderate Resource Value Watershed** – A moderate resource value watershed contains forest lands and some habitat suitable for rare, threatened, or endangered species, but typically also contains developed lands; and
- **Low Resource Value Watershed** – A low resource value watershed contains a low proportion of forest lands, a low proportion of habitat suitable for rare, threatened, or endangered species, and typically consists of higher levels of developed lands.

The Highlands Council's characterization of Riparian Area integrity entailed the examination of existing land use conditions within Riparian Areas, or those lands that are proximate to a surface water feature. The Council assigned a Riparian Area integrity value class to each HUC14 subwatershed in the Highlands Region, based on a cumulative assessment of selected watershed indicators, as follows:

- **High Integrity Riparian Area** – These areas include subwatersheds with Riparian Areas that exhibit predominantly natural vegetation, including high quality habitat for water/wetland dependent species, and a generally low incidence of impervious area, agricultural uses, and/or road crossings;
- **Moderate Integrity Riparian Area** – These areas include subwatersheds with Riparian Areas that contain a higher incidence of impervious area, agricultural uses, and road crossings, and a reduced proportion of natural vegetation, including high quality habitat for water/wetland dependent species; and
- **Low Integrity Riparian Area** – These areas include subwatersheds with Riparian Areas that contain a high proportion of impervious area, agricultural uses, and road crossings, and minimal natural vegetation, including high quality

Formatted: Not Highlight

Deleted: ¶

Deleted: [insert municipality name]

Formatted: Font: Italic

Deleted: ¶

Deleted: [insert Figure number]

Formatted: Font: Garamond, Highlight

Formatted: Font: Garamond, Highlight

Formatted: Font: Garamond, Highlight

Deleted: ¶

Deleted: [insert municipality name]

Deleted: are

Formatted: Font: Italic

Deleted: [insert Figure number]

Deleted: ¶

Formatted: Highlight

Formatted: Highlight

Formatted: Highlight

Formatted: Highlight

Deleted: ¶

¶

Watershed Values for subwatersheds located within Califon are depicted on Figure 9. All but the Rockaway Ck (above McCrea Mills) subwatershed, are High Resource Value Watershed areas. Riparian Integrity for subwatersheds located within Califon is depicted on Figure 10. The entire Borough falls within Moderate Integrity Riparian Area subwatersheds.

Steep Slopes Protection Areas

Steep slopes within the Highlands Region play an important ecological, recreational, scenic, and functional role. Steep slopes and rocky ridgelines provide specialized habitats that are home to rare plant and animal species. Areas of steep slope provide popular recreational opportunities including hiking, climbing and wildlife observation. Ridgelines, hillsides, and steep slopes provide scenic views and vistas, which contribute to the rural character of the Highlands Region and help to define the landscape.

Disturbance of areas containing steep slopes can trigger erosion and sedimentation, resulting in the loss of topsoil. Silting of wetlands, lakes, ponds and streams damages and degrades wetland and aquatic habitats, especially trout streams that are found throughout the Highlands and receive the State's highest water quality protections. Steep slope disturbance can also result in the loss of habitat quality, degradation of surface water quality, silting of wetlands, and alteration of drainage patterns. These processes, when severe, can also result in land slumping and landslides that can damage both developed property and ecosystems. The severity and extent of slopes, soil characteristics and land cover all affect the potential for damages from the disturbance of steep slopes. The identification and classification of steep slopes is important to effectively manage critical natural resources in the Highlands Region.

In order to address the requirements and goals of the Highlands Act, the Highlands Council conducted an analysis by classifying and mapping steep slopes within the Highlands Region to identify areas that are significantly constrained by steep slopes and to ensure that the level of protection for these areas is appropriate. The establishment of steep slope protection requirements is intended not to simply protect steep slope resources, but to ensure the protection of the natural, scenic, and other resources of the Highlands Region.

The Highlands Council spatially examined slopes in the Highlands Region using the 10-meter Digital Elevation Grids generated from the United States Geological Survey's (USGS) Digital Elevation Model. The Digital Elevation Model includes digital records of terrain elevations for ground positions at regularly spaced horizontal intervals, which are derived from USGS quadrangle maps. The Council originally examined areas of slope in the Highlands Region based on the USGS 10 meter Digital Elevation Model and that exhibited one of the following grade classifications and these grades were established as steep slope protection areas:

- Grades of slopes of 20 percent or greater;
- Grades of slope between 15 percent and 20 percent; and
- Grades of slope between 10 percent and 15 percent that occur within the Riparian Area.

All lands with slopes of 20% or greater and lands within Riparian Areas with slopes of 10% and greater are considered as Severely Constrained Slopes. All non-Riparian lands having a slope of 15% to less than 20% which are forested are considered Moderately Constrained Slopes. All non-Riparian Area lands having a slope of 15% to less than 20% which are non-forested with one or more of the following characteristics are considered Constrained Slopes: a) highly susceptible to erosion; b) shallow depth to bedrock; or c) a Soil Capability Class indicative of wet or stony soils. All non-Riparian Area lands having a slope of 15% to less than 20%, which are non-forested, are not highly susceptible to erosion, and do not have a shallow depth to bedrock or a Soil Capability Class indicative of wet or stony soils, are considered Limited Constrained Slopes.

Deleted: [insert municipal name]

The Highlands Council recognized the need for more refined information on steep slopes in the Highlands Region and is in the process of developing accurate slope data using laser technology. Aerial flyovers of the entire Highlands Region, using Light Detection and Ranging (LiDAR) technology, occurred in late 2006 to prepare an updated and accurate digital model of the Region. The result is a highly accurate Digital Elevation Model that provides two-foot contour interval mapping of the entire Highlands Region. This model is a valuable tool to assist municipalities and counties during development application review and provides important information for further development of the RMP. The Highlands Council will work with municipalities and counties to incorporate this newer data and model upon their completion.

Califon Borough includes 29.2 acres of Moderate Constrained Slopes and 208.1 acres of Severely Constrained Slopes. Each of the steep slope protection classifications within Califon are depicted on Figure 11.

Deleted: [insert municipality name]

Deleted: [insert municipality name]

Deleted: insert acres of each slope class

Deleted: [insert municipality name]

Deleted: insert acres of each slope class

Deleted: [Use ERI Data tab in Data Table]

Deleted: [insert municipality name]

Deleted: insert municipality name

Formatted: Font: Italic

Deleted: [insert municipality name]

Deleted: insert Figure number

Critical Habitat

Biodiversity is the variety of plant species, animal species, and all other organisms found in a particular environment and is a critical indicator of ecological viability. The protection of habitats that are critical to maintaining biodiversity contributes to the protection of rare, threatened and endangered plant and animal species of the Highlands Region.

The Highlands RMP defines three categories of Critical Habitat in the Highlands Region:

- **Critical Wildlife Habitat** - habitats of animal species identified as endangered, threatened, of special concern, or of regional conservation priority in the Highlands Region;
- **Significant Natural Areas** - regionally significant ecological communities, particularly for protection of endangered and rare plant species; and
- **Vernal pools** – confined, ephemeral wet depressions that support distinctive, and often endangered, species that are specially adapted to periodic extremes in water pool levels.

Critical Wildlife Habitat and Significant Natural Areas are designated based on the presence of species of concern. Vernal pools are certified by the NJDEP, and to protect and promote the biodiversity of Vernal Pools, the Highlands Council has determined that a terrestrial habitat protection buffer of 1,000 feet around Vernal Pools will generally address the habitat requirements of vernal pool-breeding wildlife.

The Highlands Council utilized NJDEP's Endangered and Nongame Species Program Landscape Project data to delineate suitable critical wildlife habitat for species of concern within the Highlands Region. A Landscape model (Version 3) was developed as a landscape level approach for the Highlands Region to identify areas of habitat based upon documented occurrences of rare, threatened and endangered wildlife species. It identifies the locations and types of critical wildlife habitat that are critically important to maintaining biological diversity in the Highlands Region.

The Landscape Project ranks habitat according to the status and distribution of wildlife species of concern. Landscape Ranks include the following:

- Federally Listed (5) – a wildlife species listed by the U.S. Fish and Wildlife Service as threatened or endangered.
- State Endangered (4) - a species listed on the official endangered wildlife list that the NJDEP promulgates pursuant to the Endangered and Nongame Species of Wildlife Conservation Act of 1973 (ENSCA).
- State Threatened (3) - a species designated as “threatened” on the list of nongame wildlife species that the NJDEP promulgates pursuant to ENSCA.
- Special Concern (S3) (2) – nongame wildlife that are considered by the NJDEP to be species of special concern as determined by a panel of experts or S3 according to NatureServe methodology.
- Suitable (1) – meets minimum habitat suitability requirements.

A Highlands Conservation Rank index was also assigned to each species occurrence based upon how critical the Highlands Region is to the continued existence of the species within the state. Following are the Highlands Conservation Ranks that were used:

- Critically Significant (3) – if habitats in the Highlands Region were lost, that species would not exist in the state.
- Significant (2) – Highlands Region habitats play a significant role for that species' existence in the state.
- Low Significance (1) – Highland Region habitats do not play an important role for that species' existence in the state.

Critical Wildlife Habitat in the Highlands Region is the acreage of rare, threatened and endangered species habitat (Landscape Rank 2 through 5 in the Preservation Area; Landscape Rank 3 through 5, and Rank 2 with a Highlands Conservation Rank of 2 or 3 in the Planning Area) in the Region. Of the Highlands Region's approximately 860,000 acres, there are approximately 522,067 acres (or 61% of the Region) that function as habitat for rare, threatened, or endangered species.

Significant Natural Areas are those Natural Heritage Program (NHP) Priority Sites within the Highlands Region that are regionally significant due either to the presence of rare or endangered plant species or unusual or exemplary natural ecological communities. The Highlands Council reviewed Priority Site boundaries using 2002 color orthophotography and the 2002 Land Use/Land Cover data to identify land use and land cover within and adjacent to NHP delineated Priority Sites. Where land use or land cover indicated a habitat disturbance or feature constraint, boundary lines were revised. Final revised boundaries of Priority Sites were identified as Highlands Significant Natural Areas. The Highlands Council may add Significant Natural Areas over time based on additional field survey results.

Vernal pools are unique ecosystems that:

- Provide critical breeding habitat for a variety of amphibian and invertebrate species;
- Contribute significantly to local biodiversity by supporting plants, animals, and invertebrates that would otherwise not occur in the landscape; and
- Contribute significant amounts of food to adjacent habitats.

Protecting vernal pools and adjacent habitat is important for maintaining ecological integrity and providing amphibian and invertebrate breeding habitat. Lands adjoining vernal pools are also important to protect the ecological integrity of these sites and provide for the life requisites of amphibians during the breeding and non-breeding season. Because of their complicated lifecycle, many amphibian species require open access to both terrestrial and aquatic environments. Because some salamanders (such as the Jefferson salamander, which is known to occur in the Highlands Region and is a State Species of Concern) appear to move farther from ponds, occasionally in excess of 1,900 feet, an even larger protected area or buffer zone around vernal pools would be necessary to protect these species. The Highlands RMP established a buffer of 1,000 feet surrounding each vernal pool.

For projects in the Highlands Preservation Area, definitions for endangered species, threatened species, and rare species in NJDEP Preservation Area rules at N.J.A.C. 7:38-1.4 and 3.11 respectively.

Califon Borough contains 263.1 acres of Critical Wildlife Habitat suitable to support populations of rare, threatened, and endangered species, as depicted on Figure 12. This includes habitat that supports:

Deleted: The [insert municipality name]

Deleted: [

Deleted: [insert acres of Critical Wildlife Habitat] [Use ERI Data tab in Data Table]

Deleted:

Formatted: Highlight

Deleted: [

Formatted: Font: Italic, Highlight

Deleted: [insert Figure number]

Deleted: [insert species from Critical Wildlife tab in Data Table]

Formatted: Font: Italic

Highlands Environmental Resource Inventory for the ~~Borough of Califon~~
CONFIDENTIAL AND DELIBERATIVE MATERIAL

~~Deleted:~~ [insert municipal name]

Species	Landscape Rank
Bobolink	3
Cooper's Hawk	3
Bobcat	4

Source: NJ Highlands Council

Formatted: Font: Garamond

Formatted Table

Formatted: Font: Garamond

Formatted: Font: Garamond

Formatted: Left

~~Califon~~ contains ~~no~~ Significant Natural Area(s). ~~There are no~~ vernal pools and ~~no~~ vernal pool protection buffers ~~in the Borough.~~

~~Deleted:~~ The [insert municipality name]

Formatted: Highlight

~~Deleted:~~ includes portions of or

~~Deleted:~~ [insert acres] acres of

Formatted: Highlight

~~Deleted:~~ [Use ERI Data tab in Data Table] as depicted on Figure [insert Figure number]

~~Deleted:~~ The [insert municipality name] includes [insert number]

Formatted: Highlight

~~Deleted:~~ [insert acres] acres of

~~Deleted:~~ as depicted on Figure [insert Figure number]

Formatted: Highlight

~~Deleted:~~]

Land Preservation and Stewardship

Highlands Preserved Lands

The Highlands RMP and the *Land Preservation and Stewardship Technical Report* describe how the Highlands Council evaluated the status of land preservation in the Highlands Region. The technical report records the public and private resources that provide existing recreation and preserved lands for the Highlands Region. This inventory presents a catalog of the public and private land and water areas that have been preserved for conservation and recreation or are presently protected as open space and recreation facilities. The inventory considers significant recreation and conservation resources in the Highlands Region including:

- Public and private land and water areas available for active and passive recreation;
- Public and private land and water areas maintained as conservation areas dedicated to the preservation of natural and cultural resources;
- Lands that provide access to inland water bodies; and
- Other public or private lands that may not be directly accessible to the public but that enhance the open space system in the Highlands Region.

The inventory also includes preserved farmland in the Highlands Region, which generally is not available for public access except where used as part of agri-tourism.

Since the preserved lands data were acquired from numerous sources and measured at different scales, there may be discrepancies in the attribution of some sections of preserved open space or preserved farmland. Additionally, certain assumptions were made in the creation of the figures. After analyzing the available data the following statistics represent the status of open space and preserved farmland in the 859,358 acre Highlands Region.

Highlands Land Use/Land Cover of Preserved Lands by Acres

Of the total of 273,457 acres of open space and farmland known to be preserved in the Highlands Region as of 2007, 30,259 acres are in agriculture, 172,099 acres are forested, 19,860 acres are water bodies, 39,980 acres are wetlands, 10,461 acres are classified as urban, and 800 acres are barren. Urban land includes categories such as, buildings on open space, parking lots, military installations, county facilities, transportation, communication and utilities facilities, and cemeteries. Barren land includes bare exposed rock, rock slides, and disturbed lands. Of the 273,457 acres, 185,385 acres are in the Preservation Area and the remaining 88,072 acres are located in the Planning Area. NJDEP 2002 and 2004 Land Use/Land Cover data were used to determine these statistics.

Ownership of Highlands Preserved Lands by Acres

Of the total of 273,457 acres of preserved open space and preserved farmland in the Highlands Region as of 2007, 9,281 acres are in federal ownership, 107,837 acres are in State ownership, 32,619 acres are in county ownership, 34,076 acres are in municipal ownership, 33,763 are preserved farmland, 10,005 acres in nonprofit ownership, and 45,819 are watershed lands. See the figure “Highlands Preserved Lands” and the table in the *Land Preservation and Stewardship Technical Report* Appendix A, “Highlands Preserved Lands”.

Califon Borough has reviewed the municipal data provided by the Highlands Council and updated the information as necessary, in support of the municipal build-out process and this ERI. The municipality

Deleted: The Califon Borough

Deleted: insert municipality name

Highlands Environmental Resource Inventory for the Borough of Califon
CONFIDENTIAL AND DELIBERATIVE MATERIAL

Deleted: [insert municipal name]

contains 60.4 total acres of Highlands Preserved Lands according to Highlands Council data, as depicted on Figure 13. Preserved Farms are depicted on Figure 23 in the Agricultural Resources section. This includes the following lands:

Preserved Land Category	Acres
Preserved Farmland	<u>0</u>
<i>Preserved Open Space</i>	
Federal	<u>0</u>
State	<u>20.0</u>
County	<u>26.9</u>
Municipal	<u>13.5</u>
Non-profit and Authorities	<u>0</u>
Conservation Easements (where known)	<u>0</u>
Total Preserved Lands	<u>60.4</u>

Source: NJ Highlands Council

Deleted: |

Deleted: insert acres

Deleted: [Use ERI Data tab in Data Table]

Deleted: |

Deleted: insert Figure number

Deleted: |

Formatted: Font: (Default) Garamond, Italic

Deleted: insert reference to Preserved Farms map located in Agricultural Resources section

Formatted: Font: (Default) Garamond, Italic, Highlight

Formatted: Font: (Default) Garamond, Italic

Formatted: Font: (Default) Garamond, Italic, Highlight

Deleted: *

As part of Module 1 of Basic Plan Conformance, Califon Borough began the process of securing the most accurate and current data available concerning preserved open space and farmland. This information will be updated, verified and transmitted to the Highlands Council through the RMP Update process. Appendix A provides a map delineating the parcels identified in Module 1 as preserved lands in Califon Borough.

Deleted: *[Use ERI Data tab in Data Table]

Formatted: Font: (Default) Garamond, Highlight

Deleted: The information submitted to the Highlands Council in fulfillment of Module 1 indicates an addition to the inventory of preserved lands.

Formatted: Font: (Default) Garamond, Italic, Highlight

Formatted: Font: (Default) Garamond, Highlight

Formatted: Font: (Default) Garamond, Highlight

Conservation Priority Areas

In addition to inventorying existing recreation and open space properties, the Highlands Council seeks to identify additional lands in the Region that should be protected in order to preserve their ecological and water supply value. To determine these priority areas for land preservation, the Highlands Council used the results of the Resource Assessment to identify those lands within the Highlands Region which have the highest ecological resource values. These values are based upon a combination of 33 ecological indicators which measure the quantity and quality of the following regional resource values: forests, watershed condition, critical habitat, prime ground water recharge areas, open waters and riparian areas, and steep slopes. The resources are not weighted, but rather are scored as an additive process (i.e., an area containing three resources would receive a score of three).

The Conservation Priority Areas displays a scale of the relative value of these resources in order to provide an initial prioritization mechanism for future land preservation activities in the Highlands Region that is consistent with the resource protection goals of the RMP. Because the priority system is GIS-based, it is possible to use the same data layers in different combinations, and to ascertain which resources resulted in a score for any area of land. The highest value areas contained a maximum of 31 criteria/indicators. The Conservation Priority Area consists of priority areas established by the Highlands Council in coordination with the NJDEP Green Acres Program. The Highlands Council acknowledges that municipalities may have different mechanisms for setting priorities regarding future land preservation activities in the Highlands Region.

Highlands Environmental Resource Inventory for the Borough of Califon
CONFIDENTIAL AND DELIBERATIVE MATERIAL

Deleted: [insert municipal name]

The 33 criteria used to determine the Conservation Priority Area are defined in detail in the *Land Preservation and Stewardship Technical Report*: Califon Borough contains 80.7 acres of *Conservation Priority Areas*, as defined by the Highlands Council and depicted on Figure 14.

Deleted: The [insert municipal name]

Deleted: [insert acres]

Deleted: [insert acres]

Formatted: Font: (Default) Garamond, Highlight

Deleted: [Use ERI Data tab in Data Table]

Deleted: [insert acres]

Formatted: Font: (Default) Garamond, Italic, Highlight

Deleted: [insert Figure number]

Formatted: Font: (Default) Garamond, Italic

Special Environmental Zones

The following is an explanation of the method and indicators used to determine the extent of lands to be included in the Special Environmental Zone, defined in the Highlands Act as “a preservation zone element that identifies zones within the preservation area where development shall not occur in order to protect water resources and environmentally sensitive lands and which shall be permanently preserved through use of a variety of tools, including but not limited to land acquisition and the transfer of development rights” (N.J.S.A. 13:20-12a).

In order to create an element with critical mass with a greater focus on water protection, the following methodology was developed by the Highlands Council:

1. Five indicators outlined in the *Land Preservation and Stewardship Technical Report* were chosen as the best indicators for protection of water resource and environmentally sensitive lands:
 - Forest within the Forest Resource Area;
 - Riparian Corridor Condition High;
 - Highlands Open Water Protection Area;
 - Critical Habitat; and
 - Water Quality Management Tier – 1,000’ buffer on all lakes within the Protection Zone, Conservation Zone, and the Environmentally-Constrained Sub-zones in both the Conservation and Existing Community Zones (excluding the Lake Community Sub-Zone, which is already developed)
2. Next, using the Conservation Priority Area Clusters (as defined in the *Land Preservation and Stewardship Technical Report*), determine the percent of each water protection indicator within undeveloped, unpreserved portions of the cluster. The analysis clipped the cluster to the Preservation Area boundary and removed the preserved lands from within the Preservation Area portion of the cluster; the remaining land was subject to the environmental features evaluation. These lands were evaluated to determine the percentage of each of the five indicators, and then the percentages were added. This means that the highest total percentage achievable for a cluster is 500% (i.e., if all five water protection indicators were present at 100% of the acreage within the cluster).
3. Once the percentages were determined for the clusters, they were summed. With a total possible score of 500%, our cluster scores ranged from 0 to 300%. The range was then reviewed for natural breaks and connectivity to already preserved lands and it was determined that a score of 192% or greater would be the highest priority to preserve. Additionally, parcels that were not contiguous to existing preserved lands were removed as were parcels that were entirely water. Additionally, Highlands Council staff visually reviewed each parcel for appropriateness of inclusion in the Special Environmental Zone. This resulted in including approximately 360 parcels totaling approximately 19,000 acres in the Special Environmental Zone.

This approach maintains the cluster feature from the Conservation Priority Areas, focuses on the Preservation Area, and evaluates the nature and extent of the water protection features surrounding the preserved lands within the cluster.

Deleted: The [insert municipal name] contains [insert acres] acres of

Formatted: Font: (Default) Garamond, Highlight

Deleted: [Use ERI Data tab in Data Table], as depicted on Figure [insert Figure number]

Califon Borough does not contain any Special Environmental Zones.

Carbonate Rock Areas

The term karst describes a distinctive topography that indicates dissolution of underlying carbonate rocks (such as limestone and dolomite) by surface water or ground water over time. This dissolution process causes surface depressions and the development of such features as sinkholes, sinking streams, enlarged bedrock fractures, caves, and underground streams. Sinking streams range in size from intermittent streams to perennial rivers. They may sink through a segment of the stream bed or through a discrete opening such as a fracture or cave entrance, and then reappear further downstream. Sinkholes function as funnels, directing surface water runoff into karst aquifers with little or no attenuation of any transported contaminants. Stormwater basins, septic system leaching fields, sewers, agricultural runoff, lawn runoff, underground pipelines, and soil disturbance may also contribute contaminants directly to ground water through karst features. Soils in sinkhole bottoms may be thin or non-existent. In addition to ground water concerns, communities in karst areas must contend with safety concerns. Sinkholes present a geologic hazard as they may undermine such infrastructure as stormwater basins, roads, sewer lines, septic systems, and natural gas lines.

Beyond the potential deleterious effects of karst areas with respect to ground water and public safety, karst features provide natural, scenic, and recreational resource values. Karst aquifers are high yielding, particularly where carbonate rock is overlain by permeable materials such as glacial sands and gravels. These prolific aquifers have significance as water supplies and are extremely vulnerable to contamination. Karst areas often offer unique topographic features and opportunities for outdoor recreation. They typically occupy valley bottoms, producing dramatic contrasts in relief and valuable scenic vistas, especially when viewed from the higher elevations of ridges. Carbonate rock areas also offer unique habitats that contribute to the Region's biodiversity

The Highlands Council utilized existing New Jersey Geologic Survey and United States Geological Survey data to map areas of the Highlands Region that are underlain by carbonate rocks. These areas collectively are referred to as Carbonate Rock Areas. Because changes in the quantity, quality, and rate of discharge of surface water runoff from upslope lands can impair ground water resources in the Carbonate Rock Area, lands that drain surface water into the Area will be delineated by the Council using LiDAR topographic analyses or other topographic data where LiDAR data are not available.

Management of development activities in Carbonate Rock Areas is necessary to address the potential problems that are common to karst areas. The site assessment and design process can be modified for karst areas to allow applicants, municipalities and the Council to identify any karst concerns at a site and to incorporate appropriate design features in order to minimize future sinkhole (or other karst feature) formation, damage to development, and the potential for ground water contamination.

Califon Borough contains approximately 214.8 acres of Carbonate Rock Areas within the municipality, as depicted on Figure 15.

Califon has an adopted Carbonate Rock District and associated land use regulations. The purposes of enacting these regulations were to protect, preserve and enhance a sensitive and valuable potable groundwater resource area and to reduce the frequency of structural damage by sinkhole collapse or subsidence, thereby protecting public health, safety and welfare.

Deleted: [insert municipality]

Deleted: []

Deleted: []

Formatted: Font: Not Italic

Deleted: [insert acres of Carbonate Rock Areas]

Deleted: [Use ERI Data tab in Data Table]

Formatted: Font: Italic

Formatted: Highlight

Deleted: [insert Figure number]

Deleted: Consider including a description of the surficial geology in the municipality and its relevance to environmental protection issues. The narrative can include issues regarding bedrock type, soil type and thickness, location of Highlands Open Waters, stormwater runoff characteristics, etc.] ¶

Formatted: Font: Not Bold

Deleted: [insert municipal name]

Formatted: Normal, Left

Deleted: Section Break (Next Page)

Formatted: Font: (Default) +Body, 11 pt

Lake Management Area

The RMP provides for the protection and enhancement of Highlands Lakes and their environs, including Highlands lake communities. The management of lands surrounding lakes is an important issue for the Highlands Region. Overdeveloped, damaged and poorly managed shoreland areas can result in the degradation of water quality, harm the lake ecosystem, decrease natural aesthetic values, and cause an overall loss of property values for lake communities. Lakes can be harmed by pollutant sources in the watershed area draining to them. Polluted lakes can, in turn, damage downstream streams and rivers. Most existing lake communities are fully built out, predate modern environmental protection requirements, and have limited potential for major land use changes. Some have sewer systems, but many rely on septic systems (or even cesspools) on inadequately sized lots, where direct contamination of the lakes is possible.

Past NJDEP studies indicate that nearly every public lake (privately-owned lakes were not evaluated) is experiencing unacceptable contamination, often including excessive bacteria and nutrients. In addition, many lake communities have been evolving from summer communities to year-round communities, and many are experiencing greatly intensified land uses as the original buildings are torn down and replaced by much larger structures. Addressing land uses within lake communities allows for potential opportunities to improve community value, to protect the cultural and historic resources often associated with lake communities, to protect natural resources and enhance and restore the quality of lake environments in the Region, and in some cases, to allow for in-fill development where appropriate.

Efforts to protect, restore and enhance the water quality of Highlands lakes and to protect the unique character of Highlands lake communities require a mapping of lake resources to facilitate land use and water resource planning. The Highlands Council has established a Lake Management Area around all Highlands Region lakes of greater than ten acres in size. The Lake Management Area is that area around lakes which includes the following tiers of lake management appropriate to management strategies that help protect lake water quality and community value from the impacts of present and future development:

- A Shoreland Protection Tier consisting of an area measured 300 feet or the first property line perpendicular from the shoreline of the lake;
- A Water Quality Management Tier consisting of an area measured 1,000 feet perpendicular from the shoreline of the lake, including the Shoreland Protection Tier;
- A Scenic Resources Tier consisting of an area measured 300 to 1,000 feet perpendicular from the shoreline of the lake, scaled based upon the view distance from the opposite shoreline, and determined through the size and layout of the lake, with wider portions of lakes having longer view distances; and
- A Lake Watershed Tier consisting of the entire land area draining to the lake, through the evaluation of drainage areas using LiDAR topographic analyses or other topographic data where LiDAR data are not available (this Tier is still in development by the Highlands Council).

The Council has also developed a *Lake Community Sub-Zone*. This sub-zone consists of patterns of community development that are within the RMP's Existing Community Zone within 1,000 feet of lakes. By definition, lakes within this sub-zone are developed or heavily developed lakes. Developed lakes face particular challenges as compared with undeveloped lake areas. They tend to be shallower in locations that receive

sediment loadings, they often feature extensively landscaped shorelines with limited natural vegetation, and they are frequently more eutrophic than undeveloped lakes. Developed lakes tend to receive higher phosphorous loads due to the fact that urban watersheds produce higher unit area phosphorous loads from stormwater, compared to lesser developed watersheds. In addition, most urban watersheds produce significant secondary phosphorous loads from a diverse range of sources including municipal wastewater discharges, failing septic systems, and sewage overflows.

The municipality features a total of 12.1 acres of lakes and ponds collectively, as depicted on Figure 16. There are no Lake Management Areas in Calfon Borough.

Deleted: There are [insert acres of lakes of greater than ten acres in size] acres of lakes of greater than ten acres [Use ERI Data tab in Data Table] in size within [insert municipality name], as depicted on Figure [insert Figure number]. Approximately [insert acres] acres of land fall within the Lake Management Area.¶

Formatted: Font: Italic

Deleted: variety of lake types [insert explanation of the types of lakes (e.g., developed, undeveloped, public, privately held)] facing specific environmental protection issues [may include issues regarding water quality, wetland vegetation, storm water, septic systems, scenic resources, community character, in-lake management, dam management, landscapes, etc.] ¶

Formatted: Font: 11 pt, Not Bold, Font color: Auto, Highlight

Water Resources Availability

The availability of water for human use is a critical factor in determining the capacity for growth and continued economic vitality for both existing development and agriculture within and outside the Highlands Region. The availability of water for ecological purposes is critical to sustaining the aquatic ecosystems of streams, ponds and lakes. The Highlands RMP provides a Net Water Availability analysis for identifying the quantity of available water resources in the region, which is used to identify areas where water resources are, or are not sufficient to support existing human and ecological uses, and to support future uses.

The Net Water Availability analysis examines stream base flows as a surrogate for water sustainability because the protection of base flow is critical to maintaining healthy aquatic ecosystems and protecting potable surface water supplies, particularly during periods of drought. Overuse of water can reduce base flows, impair ecological function and integrity, and reduce the reliability of potable water supplies.

The Highlands Council selected the Low Flow Margin (LFM) method for this analysis, which considers the severity and duration of low flows as a reasonable surrogate for ecosystem and water supply impacts. The Low Flow Margin yields a value called Ground Water Capacity, expressed in million gallons per day (MGD), for each HUC14 subwatershed. The HUC14 subwatershed, which generally is between 10 and 20 square miles, was selected as the smallest drainage area available for application of the method.

A key issue for water availability is to what extent the estimated Ground Water Capacity should be made “available” for both current and future human uses, factoring in the nature of the environmental resources and conservation objectives of the RMP and respective zone goals of Land Use Capability Map. The resulting quantity, defined as Ground Water Availability, must be conservative and sensitive to varied ecological needs within the region, among other factors. In more ecologically sensitive HUC14 subwatersheds, this amount should be limited in order to protect aquatic ecosystems and the related terrestrial ecosystems. The RMP sets Ground Water Availability thresholds of 5%, 5% and 20% percent for Protection Zone, Conservation Zone and Existing Community Zone, respectively, plus a 10% availability threshold dedicated only for agricultural uses in the Conservation Zone. When Ground Water Capacity is multiplied by the appropriate threshold, Ground Water Availability is derived.

$$\text{Ground Water Availability} = (\text{Ground Water Capacity} * \% \text{ Water Availability Threshold})$$

After Ground Water Availability has been calculated, the amount of water currently being used must factored in, as this will reduce the amount remaining for future uses. A significant amount of water use is either consumptive (not returned as recharge) or depletive (exported out of the watershed). Both consumptive and depletive water uses reduce the amount of water available to sustain human activity and the integrity of water resources. The RMP calculated maximum monthly consumptive and depletive use that are not supported by reservoir storage or safe yields for each HUC14. Wastewater discharges were identified and estimated to account for returns to the subwatershed. When consumptive and depletive demands are subtracted from Ground Water Availability, the remainder is called Net Water Availability. The formula for Net Water Availability is as follows:

$$\text{Net Water Availability} = (\text{Ground Water Availability}) - (\text{Consumptive/Depletive Water Use})$$

Where Net Water Availability is positive, it is assumed there is water available beyond existing demands. This availability must not be exceeded, so that new deficits are avoided in the future. Where Net Water

Deleted: [insert municipal name]

Availability is negative, existing uses are exceeding sustainable supplies and the subwatershed is deemed to be a Current Deficit Area. In addition, maintenance of stream flows within any HUC14 subwatersheds upstream of a Current Deficit Area is necessary without further impairing the ecological health of the stream. These areas, classified as Existing Constrained Areas, have their Ground Water Availability threshold adjusted to 5% more than the existing consumptive/depletive uses or the default threshold for the Zone, whichever is lower. Where water resources are stressed, additional planning and mitigation is necessary.

The Net Water Availability figure (Figure 17) depicts net water availability for Highlands subwatersheds. Califon is located within three different subwatersheds, as depicted on Figure 3. Of those three subwatersheds, one is calculated to be in deficit, as indicated by a negative value for volume of net water availability. This is the Raritan River South Branch (StoneMill gage to Califon), which encompasses over half of the Borough (336.6 acres).

HUC 14 Subwatersheds	HUC 14 SW Name	Net Water Availability (MGD)
0203010501007Q	Raritan R SB(StoneMill gage to Califon)	-0.00004841
0203010501006Q	Raritan R SB(Califon br to Long Valley)	0.00957597
0203010505008Q	Rockaway Ck (above McCrea Mills)	0.12659776

Source: NJ Highlands Council

- Deleted: |
- Formatted: Font: (Default) Garamond, Italic
- Deleted: insert Water Availability figure
- Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Italic, Font color: Auto
- Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Not Italic, Font color: Auto
- Deleted: |
- Deleted: insert municipality name
- Deleted: |
- Deleted: insert number of intersecting subwatersheds
- Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Italic, Font color: Auto
- Deleted: XX
- Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Italic, Font color: Auto
- Deleted: |
- Deleted: insert number of intersecting subwatersheds
- Deleted: |
- Deleted: insert number of intersecting deficit subwatershed using HUC Data tab in Data Table are
- Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Font color: Auto, Highlight
- Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Font color: Auto, Highlight
- Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Font color: Auto, Highlight
- Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Font color: Auto, Highlight
- Formatted Table
- Deleted: Insert HUC 14 Subwatershed ID
- Deleted: Insert Net Water Availability
- Deleted: Insert HUC 14 Subwatershed SW Name
- Deleted: Insert HUC 14 Subwatershed ID
- Deleted: Insert Net Water Availability
- Deleted: Insert HUC 14 Subwatershed SW Name
- Deleted: Insert HUC 14 Subwatershed ID
- Deleted: Insert Net Water Availability
- Deleted: Insert HUC 14 Subwatershed SW Name

Prime Ground Water Recharge Areas

In the hydrologic cycle, when precipitation occurs over the land surface a majority of it will be returned back to the atmosphere through evaporation. Some of it will flow over the surface in a process known as overland flow or runoff, to lakes and other open water bodies which then flow into streams and eventually to the ocean where the cycle begins again. A small percentage of precipitation that reaches the land surface will find its way into the subsurface in a process known as infiltration. Where infiltration reaches the water table, it is considered ground water recharge, and the overlying land areas are classified as ground water recharge areas. Ground water recharge areas can be defined as locations within a drainage basin where meteorological, ecological, geological and hydrogeological factors are conducive to infiltration of water from the surface into the subsurface. The factors that determine recharge potential are:

- **Precipitation:** The primary meteorological factor controlling infiltration. The amount of precipitation and its characteristics such as intensity and duration control the overall volume of water that is available for infiltration.
- **Evapotranspiration:** The combined evaporation from streams, open water bodies and land surfaces, and transpiration from plants. Of all the precipitation that falls within a drainage basin, a majority will be returned back to the atmosphere as evapotranspiration. Evapotranspiration rates are controlled by a combination of meteorological factors such as temperature, relative humidity and wind speed, and ecological factors such as type of vegetation, soil type and the size and volume of a water body.
- **Anthropogenic:** Development and land use factors such as the extent of urbanization, suburban areas, industrial zones, the presence of sewer service areas, public and private water supply wells, reservoirs, and septic system densities, cultural and historical and agricultural activities. Anthropogenic factors are the primary non-meteorological factor affecting infiltration.
- **Ecological** factors include the types of vegetation, the density of forested areas, wetlands, vernal pools, critical habitat and riparian buffer zones.
- **Geological** factors include soil type and characteristics, depth to bedrock, rock type and its characteristics, rock outcroppings, faulting, and topography.
- **Hydrogeological** factors include depth to ground water, soil permeability, rock type porosity, the presence or absence of fractures and wellhead protection areas.

Once into the subsurface, the infiltrated water under the pull of gravity will move down through the soil root zone to zones of saturation to become ground water. A portion of this ground water will become ground water runoff or ground water base flow which is ground water that migrates horizontally along zones of lower permeability soil or along the soil-bedrock interface and more quickly exits the drainage basin as stream flow. Some ground water will move further downward to enter an aquifer system where it can be used as a water-supply resource, or will eventually migrate to surface waters and again exit the drainage basin as stream flow.

The Highlands Council defines Prime Ground Water Recharge Areas as those lands within a HUC14 subwatershed that most efficiently provide 40 percent of total drought recharge volume for that HUC14 subwatershed, as defined using a GSR-32 analysis available based upon the 2002 land use/land cover and 1964-1966 drought of record precipitation.

Prime Ground Water Recharge Areas are not stand alone features, but instead are totally interrelated to local anthropogenic, ecological, geological and hydro-geological conditions which function as constraints that

Deleted: [insert municipal name]

control the degree of infiltration and hence the volume of water that is recharged to ground water base flow and aquifer systems. Changes in anthropogenic factors, particularly land use, greatly affect the degree of infiltration and water quality within a ground water recharge area by changing the ecological, geological and hydro-geological constraining factors. These changes can be controlled through the land development regulatory process.

~~Califon Borough~~ contains ~~183.8~~ acres of Prime Ground Water Recharge Areas, as depicted on ~~Figure 18~~.

Deleted: The [insert municipality name]

Deleted: []

Deleted: [insert number of acres of PGWRA] a

Deleted: [Use ERI Data tab in Data Table]

Deleted: []

Deleted: [insert Figure number]

Formatted: Font: (Default) Garamond, 11 pt,
Not Bold, Font color: Auto, Highlight

Formatted: Font: (Default) Garamond, Italic

Water Quality

Water quality affects drinking water, recreation, ecosystems, and aesthetic beauty. The most commonly found parameters that indicate poor surface and ground water quality are fecal coliform bacteria, phosphorus, temperature, arsenic, and nitrate-nitrogen. These and other contaminants can either cause health risks if ingested or harm native biota, resulting in non-attainment of designated water uses for the water body.

Water quality is influenced by the type and intensity of land use adjacent to and upstream of the water body. Pollutants are contributed to the environment from a wide variety of nonpoint sources (NPS) including human development (through stormwater and residential runoff, septic systems, fertilizer applications on lawns, and Brownfields or contaminated sites), domestic or captive animals, agricultural practices (crop farming, livestock, and manure applications), and wildlife (large populations). Pollutants from these sources can reach water bodies directly, through overland runoff, or through stormwater conveyance facilities. Point sources also exist, primarily wastewater treatment plants serving communities or industrial facilities. Each potential source will respond to one or more management strategies designed to eliminate or reduce that source of pollution. Each management strategy has one or more entities that can take lead responsibility to effect the strategy. Various funding sources are available to assist in accomplishing the management strategies.

Section 303(d) of the Federal Water Pollution Control Act (33 U.S.C. 1313(c)), commonly known as the Clean Water Act, requires states to identify “Impaired Waters” where specific designated uses are not fully supported. Known as the 303(d) list, this list identifies the name of the water body and the pollutant or pollutants causing the water body to be listed as impaired. Section 305(b) of the Clean Water Act also requires states to periodically assess and report on the overall quality of their waters. With guidance from USEPA, in 2002 the NJDEP integrated the 303(d) report with the 305(b) report into one report titled the New Jersey Water Quality Monitoring and Assessment Report (Integrated Report).

The 2006 Integrated Report identifies river segments and lakes of attainment of each of several designated uses. Designated Uses include Aquatic Life (general), Aquatic Life (trout), Primary Contact Recreation, Secondary Contact Recreation, Drinking Water Supply, Agricultural Water Supply, Industrial Water Supply, Shellfish Harvest, and Fish Consumption. The Integrated List lists the attainment of HUC14s of designated uses based on six categories as follows:

- Sublist 1: The designated use is assessed and attained AND all other designated uses in the assessment unit are assessed and attained. (Note: The fish consumption use is not used for this determination based on USEPA guidance).
- Sublist 2: The designated use is assessed and attained BUT one or more designated uses in the assessment unit are not attained and/or there is insufficient information to make a determination.
- Sublist 3: Insufficient or no data are available to determine if the designated use is attained.
- Sublist 4: The designated use is not attained or is threatened; however, development of a TMDL (Total Maximum Daily Load) is not required for one of the following reasons:
 - a. A TMDL has been completed for the pollutant causing non-attainment.
 - b. Other enforceable pollution control requirements are reasonably expected to result in the conformance with the applicable water quality standard(s) in the near future and the designated use will be attained.
 - c. Non-attainment is caused by something other than a pollutant (e.g. “pollution”), such as natural conditions.

- Sublist 5: The designated use is not attained. The waterbody is impaired or threatened for the designated use by a pollutant(s), and requires a TMDL.
- N/A: Designated use does not apply.

Sublist 4 and Sublist 5 indicate that a water body is not attaining the designated use. The Water Resource Technical Report Volume 1: Watersheds and Quality Appendix B contains a table of Designated Use attainment in the Highlands Region, and Appendix D of the Technical Report displays the Spatial Extent of Designated Uses.

The 2006 Integrated Report also categories Impaired Waters by HUC14. The List of Impaired Waters identifies the parameters that a HUC14 does not attain with Priority Ranking from high to low. Parameters listed include metals, nutrients, pathogens, etc. Appendix E of the Water Resource Technical Report Volume 1: Watersheds and Quality identifies the spatial extent of parameters not meeting water quality standards.

Section 303(d) of the Clean Water Act requires TMDLs to be developed for water bodies that cannot meet surface water quality standards after the implementation of technology-based effluent limitations. A TMDL defines the pollutant load that a water body can assimilate without causing violations of water quality standards, and allocates the loading between contributing point sources and source categories. It is a mechanism for identifying all contributors to surface water quality impacts and setting pollutant load reduction goals to meet surface water quality standards. TMDLs may also be established to help maintain or improve water quality in waters that are not impaired. New Jersey's TMDL regulations are in N.J.A.C. 7:15-7 (Water Quality Management Planning rules). The RMP figure *Impaired Waters Overall Assessment by HUC 14* displays the status of designated uses for waterbodies by the subwatersheds (HUC14) within the Highlands Region. Water Resource Technical Report Volume 1: Watersheds and Quality Appendix H outlines TMDLs that have been established by NJDEP divided by Watershed Management Areas.

The Water Resource Technical Report Volume 1: Watersheds and Quality (Appendix H) list the TMDLs have been developed for [name the parameters] in [insert number of HUCs] HUC 14s located in [insert municipalities name]. Additional information is located at the NJDEP TMDL Documents (located at <http://www.state.nj.us/dep/watershedmgt/tmdl.htm>)

Appendix B in the Water Resource Technical Report Volume 1 (http://www.highlands.state.nj.us/nijhighlands/master/tr_water_res_vol_1.pdf) includes a table that lists Designated Use Support status by HUC14 subwatershed and is organized by Watershed Management Areas (WMA). This table identifies HUC14s and lists, in columns, the use and HUC14 attainment status for each use.

The individual pollutants responsible for the non-attainment of the designated uses in Appendix B are identified in NJDEP's Integrated Water Quality Monitoring and Assessment Report 2006 (<http://www.nj.gov/dep/wms/bwqsa/2006IntegratedReport.pdf>) Appendix B "303(d) List of Impaired Waterbodies with Priority Ranking." This list is organized numerically. The pollutant is listed if known or "pollutant unknown" or "toxic unknown" is used when the pollutant is not known.

Appendix H of the Highlands Council Water Resource Technical Report Volume 1 (http://www.highlands.state.nj.us/nijhighlands/master/tr_water_res_vol_1.pdf) identifies TMDLs that are established within the Highlands Region. Appendix H is organized by WMA and within each WMP the report is organized by parameter (e.g., fecal coliform, phosphorus, temperature, etc).

Formatted: Font: (Default) Garamond, Highlight

Formatted: Font: (Default) Garamond, No underline, Font color: Auto, Highlight

Formatted: Font: (Default) Garamond, No underline, Font color: Auto, Highlight

Formatted: Highlight

Formatted: Font: (Default) Garamond, No underline, Font color: Auto, Highlight

Formatted: Font: (Default) Garamond, No underline, Font color: Auto, Highlight

Formatted: Font: (Default) Garamond, No underline, Font color: Auto, Highlight

Formatted: Highlight

Formatted: Font: (Default) Garamond, No underline, Font color: Auto, Highlight

Formatted: Font: (Default) Garamond, No underline, Font color: Auto, Highlight

Formatted: Font: (Default) Garamond, No underline, Font color: Auto, Highlight

Formatted: Highlight

Highlands Environmental Resource Inventory for the Borough of Califon
CONFIDENTIAL AND DELIBERATIVE MATERIAL

Information regarding designated use status, pollutants responsible for non-attainment, and TMDL status is summarized in the table below for Glen Gardner Borough regarding the HUC14 subwatersheds that are located entirely or partially within the municipality.

HUC 14s in the municipality	TMDL(s)	Designated Uses not attained and Sublist	Parameters not attained
02030105010060 Raritan River Southbound (Califon BR to Long Valley)	Fecal coliform with a 94% reduction	Sublist 4A for Primary Recreation; Sublist 5 for Trout Support and Aquatic Life	Temperature and Total Phosphorus
02030105010070 Raritan R SB (Stone Mill gage to Califon)	no TMDLs	Sublist 4A for Primary Recreation; Sublist 5 for Aquatic Life and Trout Support	Temperature and Total Phosphorus
02030105050080 Rockaway Ck (above McCrea Mills)	NA	NA	NA

Source: NJ Highlands Council

Septic system management is a critically important issue in Califon Borough, which lacks public sewers. The 1995 Master Plan Update notes that despite inherent limitations of soils in the Borough in terms of septic system sewage disposal, all of Califon is reliant on septic systems. Lot sizes of less than one acre are not unusual in the Borough, particularly in the historic center of town. In 2005, the South Branch Watershed Association prepared a draft "Municipal Assessment" of the Borough's master plan and ordinances under a Section 604b grant from NJDEP. The draft Assessment recommended, among other things, that Califon adopt ordinances and policies to improve septic system performance and monitoring; adopt a septic system monitoring strategy to be implemented by ordinance; and adopt requirements for regular pump outs and upgrades or expansions when existing dwellings are enlarged. Califon Borough awaits further guidance from the Highlands Council on model septic system management regulations.

Deleted: [insert municipal name]

Formatted

Deleted: includes tables from the NJDEP's

Formatted

Formatted Table

Formatted

Formatted

Formatted

Formatted

Formatted

Deleted:

Deleted:

Formatted

Deleted:

Formatted

Deleted:

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Deleted:

Formatted

Formatted

Deleted:

Deleted:

Formatted

Deleted:

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Deleted:

Formatted

Formatted

Deleted:

Formatted

Deleted:

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Formatted

Deleted: [insert municipal name]

Deleted: ¶

Wellhead Protection

Residents of Califon rely on ground water supplies (both public and private wells) as the sole source of drinking water.

To protect the health, safety and welfare of the Borough residents and to ensure a supply of safe and healthful drinking water and the protection of the ground water resources that provide water to potable water supply wells is a primary goal of Califon.

Achieving this goal requires the establishment of a Wellhead Protection Ordinance. An effective Wellhead Protection Ordinance establishes Wellhead Protection Areas (WHPAs) around public community wells, defined as public water supply wells serving at least 15-service connections used by year-round residents regularly serving at least 25-year round residents, and non-community water supply wells defined as public water supply wells that are not public community wells and regularly service at least 25-individuals for at least 60-days in any given calendar year. WHPAs are mapped areas that delineate the horizontal extent of ground water captured by pumping at a specific rate. Once a well is located on the New Jersey Department of Environmental Protection's Geographic Information System database, a WHPA is mapped based upon time of travel, which is the amount of time it will take for ground water to flow to the well. In New Jersey, well head protection ordinances use three tiers based upon a 2-year, 5-year and 12-year time of travel.

- Tier 1 is a two-year time of travel to reflect the potential for bacterial and viral contaminant movement.
- Tier 2 is equivalent to a five-year time of travel based upon limitations on technological options for preventing long-lived contaminants from reaching a well without interfering with well function.
- Tier 3 is equivalent to a twelve-year time of travel, the longest times of travel customarily seen in New Jersey for plumes of long-lived contaminants.

Califon includes Public Community Water Supply wells for which Wellhead Protection Areas have been delineated, as depicted on Figure 20, Portions of Wellhead Protection Areas around Public Non-community Water Supply wells in adjacent Lebanon Township extend into Califon. Public Community Water Supply Wells provide potable water to the public, serving at least 15 service connections used by year-round residents or regularly serving at least 25 year-round residents. Public Non-Community Water Supply Wells are public water supply wells used by individuals other than year-round residents for at least sixty days of the year. These are either transient or nontransient. Nontransient non-community water supply wells serves at least 25 of the same people for more than six months during the year. Examples include schools, factories, and office buildings. Transient non-community water supply wells serve at least 25 transient individuals for at least sixty days in a given calendar year. Examples of transient non-community water supply wells are rest stop areas, restaurants, and motels.(N.J.A.C. 7:10-1.3, Safe Drinking Water Act Regulations; N.J. Geological Survey).

Deleted: ¶

Deleted: Insert Municipality Name

Deleted: ¶

Formatted: Font: Not Bold, No underline, Font color: Auto, Highlight

Deleted: a primary

Formatted: Font: Not Bold, No underline, Font color: Auto, Highlight

Deleted: ¶

Deleted: Insert Municipality Name

Deleted: ¶

Deleted: Insert Municipality Name,

Deleted: ¶

Formatted: Tab stops: 3.77", Left

Deleted: Insert Municipality Name

Deleted: and Public Non-community Water Supply wells (may delete previous section if not applicable),

Formatted: Font: Italic, No underline, Font color: Auto

Deleted: ¶

Deleted: Insert Figure number

Formatted: No underline, Font color: Auto, Highlight

Formatted: No underline, Font color: Auto, Highlight

Formatted: No underline, Font color: Auto, Highlight

Formatted: No underline, Font color: Auto, Highlight

Deleted: ¶

Septic System Yield

Septic system yield is used as a method for minimizing the potential for contamination of ground water. Discharges to ground water from septic systems have the potential to damage the quality of aquifers, reducing their utility as drinking water supplies. They also can damage surface water quality, through the flow of contaminated ground water to natural discharge points such as springs, seeps or stream baseflow. Because septic systems are closely associated with the non-point source effects of non-sewered development, septic system yield is a useful indicator of the potential impacts to ground water quality. Protection of ground water quality requires appropriate septic system yields to ensure that future development utilizing septic systems provide for sufficient dilution of effluent discharges.

To this end, the RMP outlines a methodology for computing appropriate septic system yields within the Planning Area portion of the municipality. Within the Preservation Area portion, NJDEP establishes specific regulatory approaches for septic systems, including an objective of nondegradation for ground water regarding new septic systems. NJDEP Highlands' regulations have established septic system densities of one unit per 88-acres and 25-acres for forested and non-forested Preservation Area lands, respectively. The Highlands RMP adopts these standards as well in the Preservation Area. Califon Borough, in its entirety, falls within the Preservation Area. Therefore, the NJDEP Highlands' regulations governing septic system densities apply.

Deleted: ¶

Within the Planning Area of the municipality, the Highlands Council's methodology relies upon a number of different modeling approaches and analytical techniques that estimate at the subwatershed scale: 1) annual drought ground water recharge rate; 2) septic system density required for sufficient septic system effluent dilution, and 3) an estimate of the total number of allowable septic system units (septic system yield) from developable land within each Land Use Capability zone in the municipality.¶

Target Nitrate Concentrations¶

Computing appropriate septic system densities requires setting target nitrate concentrations in ground water at the subwatershed scale. Nitrate serves as a target indicator contaminant not only for septic systems, but also as a surrogate for other contaminants of concern that can affect ground water quality. Nitrates are stable in ground water, can travel long distances within the septic system plume, are a commonly measured contaminant with inexpensive sampling, and have been shown to have a good association with other contaminants (i.e., where the other contaminants are found, nitrate levels tend to be elevated above natural levels). The Highlands Council has established the following target nitrate concentrations in each of the following Land Use Capability zones within the Planning Area:¶

¶

Existing Community Zone: 2 mg/L. (used on a case-by-case basis, only)¶

Conservation Zone: 1.87 mg/L.¶

Protection Zone: 0.72 mg/L.¶

¶

Septic System Density ¶

From a water quality protection perspective, appropriate septic system density is necessary for ensuring that over a regional planning area, septic system effluent does not produce median nitrate concentrations in ground water that exceed a specific target nitrate concentration. Septic system density essentially estimates the area required to provide enough natural recharge that will dilute septic system effluent to the target nitrate concentration. ¶

To calculate appropriate septic system density, the RMP utilizes the Trella-Douglas nitrate dilution model factoring in the target nitrate concentrations, septic system nitrate loads, and estimated annual drought recharge rates. Annual recharge is calculated in each subwatershed using NJGS's GSR-32 method, which...

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Italic, No underline, Font color: Auto

Deleted: Septic System Yield ¶

Following computation of an appropriate septic system density, the number of additional allowable septic systems in the municipality is calculated based upon the existing developable land area. For the calculation of septic system yield, the developable land area consists of two general classes: undeveloped parcels and over-sized (underdeveloped) parcels. Assuming they have sufficient land area, these latter parcels have the potential to accommodate an additional septic system if subdivided. When the amount of developable land is divided by the septic system density (while respecting the unique septic system density and recharge in each subwatershed and each Land Use Capability Zone), the septic system yield is computed. [Insert municipality name] will ...

Agricultural Resources

The Highlands RMP and the *Sustainable Agriculture Technical Report* describe the Agricultural Resource Area (ARA) and the resource values used to define the ARA. The ARA consists of those areas of the most concentrated, contiguous agricultural uses, using Important Farmland Soils as a critical factor in the Highlands Region.

Deleted: [If no portion of the municipality is within an ARA, and there are no areas of preserved or existing farmland, the ARA standards and this component of the ERI do not apply and may be deleted.]

A healthy agricultural environment and an agricultural land base are necessary to promote long-term sustainability of agricultural resources and the viability of the agricultural industry in the Highlands Region. The Highlands RMP promotes preservation in the ARA and limits non-agricultural uses within the ARA to those that support the preservation of farmland, avoid conflicts with agriculture, maintain and enhance the sustainability and continued viability of the agricultural industry, protect Important Farmland Soils, and meet resource management and protection requirements of the RMP. Where it is not feasible to preserve agricultural lands within the ARA by such methods as fee simple acquisition, easement acquisition, or a TDR Program, the Highlands RMP requires mandatory clustering for residential development in an ARA. Clustering is mandatory for residential development within the ARA regardless of the underlying Land Use Capability Zone. However, the majority of the ARA is within the Conservation Zone and the Conservation Environmentally Constrained Sub-Zone.

In order to identify critical agricultural lands in the Highlands Region, the Highlands Council examined the Region's agricultural resources and evaluated them specifically considering the realities of farming in the Highlands Region. The Council then utilized the following criteria to assess the Region's farmland and identify the Region's most important agricultural resources: contiguous farming landscapes; farms that include Important Farmland Soils; the extent of lands adjoining a farm that are in agricultural use; and concentrations of existing preserved farmland. An examination of these factors permitted the Highlands Council to spatially delineate areas in the Highlands Region, with a prevalence of active farms to develop the ARA. The categories mapped within the ARA are defined below.

Preserved Farmland

The New Jersey Department of Agriculture (NJDA) State Agriculture Development Committee (SADC) Farmland Preservation Program provides spatial files to the Highlands Council, which include farms that are preserved, farms that have final approval from the SADC, and farms under the eight year easement program.

Deleted: [This layer may need to be updated with the most recent and accurate municipal data.]

All Agricultural Uses

All agricultural uses were derived from the NJDEP Draft 2002 Land Use/Land Cover spatial files. Files are appended and recoded to the Highlands 13 land use categories by the Walton Center for Remote Sensing & Spatial Analysis (CRSSA), Rutgers University.

Important Farmland Soils and Soil Quality

The Highlands RMP considers the four soil types of Prime, Statewide Importance, Unique, and Locally Important soils as Important Farmland Soils which are critical agricultural resources of the Highlands Region. The primary factor used in determining important farmland is soil quality, which is measured based on land capability classes, important farmland classes, and soil productivity rating. Soil data are

prepared by the United States Department of Agriculture (USDA), Natural Resources Conservation Service (NRCS) and are used as the reference to identify soil quality. Usually a percentage figure for each of these four soil categories is calculated for the entire farm targeted for preservation.

Prime farmland soil has the best combination of physical and chemical characteristics for producing food, feed, forage, fiber, and oilseed crops. It has the soil quality, growing season, and moisture supply needed to produce high yields of crops when treated and managed according to acceptable farming methods. Prime farmland soils are not excessively erodible or saturated with water for a long period of time, and they either do not flood frequently or are protected from flooding.

Farmland of Statewide Importance soils are similar to Prime farmland soils and produce high yields of crops when treated and managed according to acceptable farming methods. This soil may support yields as high as Prime farmland if conditions are favorable. Farmland of Locally Important soils include those soils that are not Prime or Statewide Importance and are used for the production of high value food, fiber, or horticultural crops.

Unique farmland soils are soils used for special crops (such as cranberries in the New Jersey Pinelands). Unique soils are determined on a statewide basis by the State Soil Conservation Committee. Locally Important soils are generally defined through county ranking processes, rather than by the NRCS.

The USDA, NRCS, Soil Survey Geographic (SSURGO) Database for farmland soil quality including Prime, Statewide, Unique, and Locally Important farmland soils can be found at the following link: <http://soildatamart.nrcs.usda.gov/SSURGOMetadata.aspx>

Agricultural Priority Areas

In order to determine the priority areas for farmland preservation, the Highlands Council, in coordination with the NJDA and the SADC, utilized the results of the agricultural resource assessment to identify those lands within the Highlands Region that have the highest agricultural resource values. The Agricultural Priority Area (APA) displays the relative value of these agricultural resources in order to provide a prioritization mechanism for future farmland preservation activities in the Highlands Region. The seven indicators used to determine the APA are: ARAs; Important Farmland Soils – Undeveloped; Preserved Farms; Contiguous Farms greater than 250 acres; Agricultural Uses 10 acres or greater; 50% or greater Prime Soils; and ¼ mile proximity to Preserved Farms. The *Land Preservation and Stewardship Technical Report* describes the seven indicators and the development of the APA. The APA consists of priority areas established by the Highlands Council in coordination with the NJDA and the SADC Farmland Preservation Program. The Highlands Council acknowledges that municipalities may have different mechanisms for setting priorities regarding future farmland preservation activities in the Highlands Region.

Califon contains 631.5 acres of Agricultural Resource Areas and 269.2 acres of Agricultural Priority Areas, as depicted on Figure 21 and Figure 22 respectively. The Borough does not contain any Preserved Farms, according to Highlands Council data. It has 231.1 acres of Important Farmland Soils, and 31.2 acres of All Agricultural Uses, as depicted on Figure 24 and 23 respectively.

As noted earlier, during Module 1 of Basic Plan Conformance, Califon Borough prepared an updated inventory of preserved lands, including preserved farmland. This information will be transmitted through the RMP Update process to ensure that the most up-to-date and accurate data is utilized by the Highlands Council.

Deleted: The [insert municipal name]

Deleted: [insert acres]

Deleted: [insert acres]

Deleted: [insert acres]

Deleted: [insert acres]

Deleted: [Use ERI Data tab in Data Table]

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, No underline, Font color: Auto, Highlight

Deleted: s [insert acres] acres of

Deleted:

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Italic, No underline, Font color: Auto

Deleted: XX

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Italic, No underline, Font color: Auto

Deleted: [insert municipal name]

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Italic, No underline, Font color: Auto

Deleted: XX

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Italic, No underline, Font color: Auto

Deleted: [insert acres]

Deleted: [insert acres]

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, No underline, Font color: Auto, Highlight

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, No underline, Font color: Auto, Highlight

Deleted: [insert acres]

Deleted: [insert acres]

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, No underline, Font color: Auto, Highlight

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Italic, No underline, Font color: Auto

Deleted: [insert acres]

Deleted: [insert Figure number], Figure [insert Figure number], and Figure [insert Figure number]

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, No underline, Font color: Auto, Highlight

Deleted: [insert municipal name]

Deleted:

Deleted: Section Break (Next Page)

Historic, Cultural, and Archaeological Resources

The Highlands RMP identifies protection and preservation of the historic, cultural and archaeological resources of the Highlands as a resource protection goal. In compliance with the directive of the Highlands Act, to assess the “scenic, aesthetic, cultural, historic, open space, farmland, and outdoor recreation resources of the region, together with a determination of overall policies required to maintain and enhance such resources;” the RMP requires every conforming municipality and county to include a historic preservation plan element as part of their local master plan.

From the first Native American settlements over ten thousand years ago, to the colonial period and Revolutionary War, to the early industrial age and up to the modern day, the Highlands Region has enjoyed a rich historical and cultural heritage. Many buildings, archaeological sites, ruins and artifacts remain. Examples include Native American settlements in the Ramapo Mountains, Washington’s encampment in Morristown, the furnaces in Oxford, Wawayanda, Norton and Andover, the Morris Canal, the mines in Ogdensburg and Franklin, the Picatinny Arsenal, the Hibernia School House and many, many others. Cultural resources are part of the character of the Highlands Region and protecting these resources is vital to protecting that essential character. They preserve the Region’s history and provide a link to its past. They provide evidence of significant human and environmental events, and they provide vital information about how the people in this Region lived, worked and recreated.

The Highlands Region Cultural Resources Inventory includes 618 historic sites and districts within the Region as of November 2007. The Inventory also lists four National Park Service National Historic Landmarks and 70 recorded archaeological sites. The Historic and Cultural Resource Inventory includes: 1) all properties listed on the State or National Register of Historic Places; 2) all properties which have been deemed eligible for listing on the State or National Register; and 3) all properties for which a formal State Historic Preservation Office (SHPO) opinion has been issued. The Highlands Region Historic and Cultural Resource Inventory is a dynamic inventory and will automatically be updated according to SHPO’s additions or deletions.

The Highlands Region Historic, Cultural, and Archaeological Resources data layer for Califon, as of November 2007 is depicted on Figure 25. There is one Historic District and one individual property listed, including the Califon Historic District and the J.K. Apgar Farmhouse. These are on the State and National Register of Historic Places. Additionally, the Roadbed of the High Bridge Division of the Central Railroad of New Jersey is included, for which an opinion of eligibility was issued by the State Historic Preservation Office.

Deleted: |

Deleted: [insert municipality]

Comment [ec1]: Just one? See new language in last paragraph on p. 37. Please note that according to State Historic Preservation Office website, this is not a state or national district. Highlands Council map shows it as a district. Needs to be resolved!

Formatted: Font: 11 pt, Not Bold, Italic, No underline, Font color: Auto

Deleted: |

Formatted: Font: 11 pt, Not Bold, Italic, No underline, Font color: Auto, Highlight

Deleted: [insert Figure number]

Deleted: are

Deleted: |

Deleted: [insert number of cultural resources] historic, cultural, and archaeological resources included [insert listing for municipality].

Scenic Resources

Protection of the scenic resources of the Highlands is one of the goals of the Highlands Act. Among the goals for the Preservation Area of the Highlands, the Act calls for the Regional Master Plan to “protect the natural, scenic, and other resources of the Highlands Region, including but not limited to contiguous forests, wetlands, vegetated stream corridors, steep slopes, and critical habitat for fauna and flora;” and “preserve farmland and historic sites and other historic resources;” (section 10 (b) (3&4)). In the Planning Area, the Act calls for the regional master plan to “protect and maintain the essential character of the Highlands environment;” and to “preserve farmland and historic sites and other historic resources;” (section 10 (c) (3&4)).

The goals associated with protecting scenic resources are to maintain the visual integrity and scenic beauty of noteworthy viewsheds and natural and cultural features of regional significance in the Highlands Region. Toward addressing these goals, the Highlands Council identified a baseline of scenic resources, totaling 131 scenic resource areas. These include National Park Service National Historic Landmarks and publicly-owned parks, forests, and recreation areas. The compilation is meant to serve as a baseline from which to begin to refine a complete list of scenic resources. The Highlands Council also adopted a Procedure for Nomination, Evaluation and Inventory of Highlands Regionally Significant Scenic Resources which establishes the process for formal nomination and inclusion of additional scenic resources into the Highlands Scenic Resource Inventory.

The Highlands Region baseline scenic resources data layer for Califon is depicted on Figure 26. Designated scenic resources are associated with parkland or are adjacent to parkland within the Borough.

Deleted: |

Deleted: insert municipality

Formatted: Font: 11 pt, Not Bold, Italic, No underline, Font color: Auto

Deleted: |

Deleted: There are insert number of scenic resources

Formatted: Font: 11 pt, Not Bold, Italic, No underline, Font color: Auto

Deleted: insert Figure number

Formatted: Font: 11 pt, Not Bold, No underline, Font color: Auto, Highlight

Deleted: |

Formatted: Font: 11 pt, Not Bold, No underline, Font color: Auto, Highlight

Contaminated Sites

Inclusion of contaminated sites in the Highlands ERI provides a municipality with a large-scale perspective about its contaminated sites locations and the potential impact of the contamination regarding on-site or adjacent natural resources, neighborhoods and economic potential. Awareness of contaminated sites locations and details provides a municipality with additional planning tools in terms of natural resources protection and planning for future remedial actions. Contaminated sites associated with prior development may qualify as brownfields under the Highlands Act, and be eligible for formal designation as Highlands Redevelopment Areas by the Highlands Council.

The Highlands Council utilized portions of NJDEP's Known Contaminated Sites in New Jersey (KCS-NJ) database, the Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) database, and the Resource Conservation and Recovery Act (RCRA) database for contaminated sites listings. For further information regarding data selection, refer to the Highlands Council *Regional Land Use Conditions and Smart Design Technical Report*. Sites become listed if contamination of soil or ground water has been confirmed.

The contaminated site inventory will be updated to include additions and deletions as needed based upon input from local, county, state, and non-profit stakeholders beginning during the Plan Conformance process. The contaminated site inventory indicates that in the Highlands Region, there are nearly 600 contaminated sites in the Highlands Region covering approximately 14,000 acres in 82 Highlands communities. Two tiers of contaminated sites were created based upon information gleaned from KCS-NJ, the CERCLIS database, and the RCRA database. Tier 1 sites are considered to have somewhat more complex contamination issues than Tier 2.

Tier 1 consists of:

- All Final and Deleted Superfund sites (CERCLIS);
- All RCRA identified sites;
- All sites with a Remedial Level of C3 or D (KCS-NJ); and
- Remaining sites with a Remedial Level of C2 located in the Preservation Area (KCS-NJ).

Tier 2 consists of:

- Remaining sites with a Remedial Level of C2 located in the Planning Area (KCS-NJ).

The inventory includes two categories, Tier 1 and 2. Contaminated Sites for Califon are shown in Figure 27. There is only one site shown, specifically a Tier 1 site (0.28 acres). Municipal awareness of these sites will help a town establish richer information about the sites, including the nature, extent and characterization of on-site contamination, past uses, and redevelopment and restoration potential.

Deleted:	
Deleted:	<u>insert municipality</u>
Formatted:	Font: 11 pt, Not Bold, Italic, No underline, Font color: Auto
Deleted:	
Deleted:	<u>insert Figure number</u>
Formatted:	Font: 11 pt, Not Bold, No underline, Font color: Auto, Highlight
Formatted:	Font: 11 pt, Not Bold, No underline, Font color: Auto, Highlight

Infrastructure

The Highlands ERI includes three sections on infrastructure (i.e., water and water utilities, and roadway/transit), as these three elements contribute to, or are a significant basis for, the Highlands Land Use Capability Zones. Additionally, water and wastewater utilities rely upon significant volumes of ground water or surface water, and thus are intrinsically linked to those natural resource components for which the Highlands RMP provides protection policies. Incorporation of the following three elements into the Highlands ERI provides for support of RMP protection policies and long-term planning goals.

Water and Wastewater Utilities

Water Supply Utility

Future development within the Highlands Region at densities consistent with smart growth principles will generally require access to public water supply utilities. A Public Community Water System is a public water system that pipes water for human consumption to at least either 15 service connections or one that regularly serves at least 25 year-round residents. They may be owned and operated by governmental entities (either as municipal operations or utility authorities) or investor-owned utilities. These community systems, whether their source consists of ground water or surface water withdrawals, may have the potential for inducing or supporting growth. The figure *Public Community Water Systems Map* in the RMP represents the most current and detailed information available on the extent of PCWS existing areas served and their associated remaining capacity.

Califon has Water Utility Existing Area(s) Served provided by Aqua New Jersey, formerly by Consumer New Jersey Water Company. According to Highlands Council data, 291.8 acres are in the Existing Area Served. (see Figure 28).

As part of Module 1 of Basic Plan Conformance, Califon Borough began the process of securing the most accurate data available concerning parcels currently served by public water utilities. Appendix B provides a map delineating the parcels identified in Module 1 as currently served by public water in Califon Borough.

Wastewater Utility

The primary wastewater collection systems in the Highlands Region are regulated by NJDEP as Domestic Sewerage Facilities. Domestic Sewerage Facilities are wastewater treatment systems that serve more than an individual residential or non-residential customer and treat sanitary sewage. These systems are distinct from industrial treatment works (which treat industrial process wastes from individual manufacturing sites) and Individual Subsurface Disposal Systems (ISSDS, or septic systems, which handle sewage from individual homes). Domestic Sewage Facilities include municipal and regional sewage systems that are publicly-owned, similar systems that are investor-owned, and privately-owned systems (e.g., homeowners associations, mobile home parks) that provide sewage treatment. The *Highlands Domestic Sewerage Facilities* figure in the RMP represents the most current and detailed information regionally available on Existing Areas Served and outlines estimates of available treatment capacity.

The inventory of Highlands Domestic Sewerage Facilities Existing Areas Served is an important tool to identify areas where growth should or should not be encouraged and where land adjacent to this infrastructure is appropriate for growth. Additionally, this inventory will assist in the identification of areas of

Deleted:]

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Not Italic, No underline

Deleted: Insert municipality name

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, No underline, Highlight

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, No underline, Highlight

Deleted:]

Deleted: insert water utility company and acreage of service area in Planning and/or Preservation Areas using Public Water tab in Data Table

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, Italic, No underline, Font color: Auto

Deleted: insert Figure number

Formatted: Font: (Default) Garamond, 11 pt, Not Bold, No underline, Font color: Auto, Highlight

Deleted:]

Formatted: No underline, Font color: Auto, Highlight

Formatted: Space After: 0 pt

Moved down [1]: The information submitted to the Highlands Council in fulfillment of Module 1 indicates several changes to the inventory of said properties. This information will be updated, verified and transmitted to the Highlands Council through the RMP Update process.

Formatted: Font: Italic, No underline, Font color: Auto, Highlight

Formatted: No underline, Font color: Auto, Highlight

Deleted: ¶

Deleted: [insert municipal name]

concern where dense development patterns without sewer service exist. Such situations may require the replacement of septic systems with community wastewater systems in order to safeguard public health.

Califon has no Highlands Domestic Sewerage Facilities Existing Areas Served.

Deleted: [insert municipality name]

Deleted: provided by [insert utility company and acreage of service area in Planning and/or Preservation Areas using HDSF tab in Data Table] (see Figure [insert Figure number]).

Formatted: Font: Not Italic, No underline

Roadway and Transit

Future and existing development and redevelopment in the Highlands Region will rely on a complex network of roads, railways and bridges and various modes of transportation, including automobile, bus, rail, truck, bicycle and pedestrian, to carry people and move goods throughout the Region. Numerous factors including past development patterns of inefficient land use in the Region have led to an increased dependence on automobile travel, which has adverse impacts on natural resources and overall quality of life. By using smart growth principles and encouraging more efficient land use, the potential for an accessible, multi-modal transportation system will increase in the Region, while protection of environmentally sensitive areas can be improved.

The existing transportation and transit features for the Region support the Land Use Capability Zone Map with the goal of better understanding the movement of people and goods, and the relationship of these features to the resources and land use conditions of the Region. The nature and extent of the regional and local roadway and transit features provide a framework for evaluating environmental resources that are potentially affected by the presence of these features. Such impacts could involve habitat features that are bisected by road or transit networks, for example, or habitat that surrounds these networks and should be evaluated when planning for future development and redevelopment activities.

The RMP figure “Road Network” presents the Highlands road infrastructure by road category and the various administrative boundaries within the Region. The RMP figure “Transit Network” presents the Highlands transit and rail network infrastructure.

The roadway and transit networks for Califon Borough are presented in Figures 29 and 30 respectively. County Route 513 (High Bridge Califon Road) forms the northwestern boundary of the Borough. County Route 512 (Main Street north of the South Branch of the Raritan River and Academy Street south of the River) begins at County Route 513 and bisects the Borough as it travels south and then east. There are no active rail lines in the Borough.

Deleted: [

Formatted: No underline, Highlight

Deleted: [insert municipality name]

Formatted: No underline, Font color: Auto, Highlight

Formatted: Font: Italic, No underline, Font color: Auto, Highlight

Deleted: [insert Figure number] and [insert Figure number]

Formatted: Font: Italic, No underline, Font color: Auto

Formatted: No underline, Highlight

Formatted: No underline, Highlight

Formatted: No underline, Highlight


Formatted: No underline, Highlight

Formatted: No underline, Highlight

Formatted: No underline, Highlight

Deleted: [insert municipal name]


Figure 1. Preservation Area



- Preservation Area
- Municipal Boundaries

CALIFON BOROUGH

Figure 1: Preservation Area



1 inch = 0.193 miles

**Highlands
Council**
New Jersey



Deleted: ¶
[insert figure Municipality name PRES]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1


Deleted: [insert municipal name]

Figure 2. Land Use Capability Map Zones

Deleted: [insert page break]

Deleted: ¶
[insert figure Municipality name LUCZ]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1




Regional Master Plan Overlay Zone Designation

- Zone
- Protection
 - Conservation
 - Existing Community
- Sub-Zone
- Existing Community Environmentally Constrained
 - Conservation Environmentally Constrained
 - Lake Community
 - Wildlife Management
- Lakes Greater Than 10 acres
- Preservation Area
- Municipal Boundaries

CALIFON BOROUGH

Figure 2: Land Use Capability Zones



1 inch = 0.189 miles

Highlands
Council
New Jersey




Deleted: [insert municipal name]

Figure 3. HUC 14 Boundaries

Deleted: insert page break

Deleted:
insert figure Municipality name, HUC

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1




Deleted: [insert municipal name]

Figure 4. Forest Resource Area

Deleted: [insert page break]

Deleted: ¶
[insert figure *Municipality name_FRA*]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1




Deleted: [insert municipal name]

Figure 5. Total Forest Area

Deleted: [insert page break]

Deleted: ¶
[insert figure *Municipality name*.FOR]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1




Deleted: [insert municipal name]

Figure 6. Forest Subwatersheds

Deleted: [insert page break]

Deleted: ¶
[insert figure *Municipality name*. *FIN*]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1




Forest Integrity by HUC14 Subwatershed

- Low
- Moderate
- High
- Preservation Area
- Municipal Boundaries

CALIFON BOROUGH

Figure 6: Forest Subwatersheds



1 inch = 0.193 miles

**Highlands
Council**
New Jersey




Deleted: [insert municipal name]

Figure 7. Highlands Open Waters

Deleted: [insert page break]

Deleted: ¶
[insert figure Municipality name HOW]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1




Deleted: [insert municipal name]

Figure 8. Highlands Riparian Areas

Deleted: [insert page break]

Deleted: ¶
[insert figure *Municipality name* *RIP*]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1




Deleted: [insert municipal name]

Figure 9. Watershed Values

Deleted: [insert page break]

Deleted: ¶
[insert figure Municipality name, WSHEDY]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1




Watershed Values by HUC14 Subwatershed

- Low
- Moderate
- High
- Preservation Area
- Municipal Boundaries

CALIFON BOROUGH

Figure 9: Watershed Value



1 inch = 0.193 miles

Highlands Council
New Jersey




Deleted: [insert municipal name]

Figure 10. Riparian Integrity

Deleted: [insert page break]

Deleted: ¶
[insert figure *Municipality name* *RIPIN*]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



Riparian Integrity by HUC14 Subwatershed

- Low
- Moderate
- High
- Preservation Area
- Municipal Boundaries

CALIFON BOROUGH

Figure 10: Riparian Integrity



1 inch = 0.193 miles

**Highlands
Council**
New Jersey




Deleted: [insert municipal name]

Figure 11. Steep Slope Protection Areas

Deleted: [insert page break]

Deleted: ¶
[insert figure *Municipality name* *SLO*]


Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



Steep Slopes
Moderate
Severe
Preservation Area
Municipal Boundaries

CALIFON BOROUGH

Figure 11: Steep Slopes Protection Areas



1 inch = 0.193 miles

**Highlands
Council**
New Jersey




Deleted: [insert municipal name]

Figure 12. Critical Wildlife Habitat

Deleted: [insert page break]


Deleted: ¶
[insert figure *Municipality name_CWH*]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



Deleted: [insert municipal name]


Figure 13. Preserved Lands



Conservation Easements	Preserved Lands
Green Acres	Federal Open Space
SADC Easements	State Open Space
SADC Final	County Open Space
SADC 8 Year	Municipal Open Space
SADC Preserved	Non-Profit/Private Open Space
Municipal Boundaries	Water Supply Watershed Lands
Preservation Area	Preserved Farmland

CALIFON BOROUGH

Figure 13: Preserved Lands



1 inch = 0.193 miles



Deleted: [insert page break]
Figure 13. Significant Natural Areas
[insert figure Municipality name_SNA]
[insert page break]
Figure 14. Vernal Pools
[insert figure Municipality name_VP]
[insert page break]

Deleted: 15

Deleted: (includes: Preserved farmlands, Federal, State, County, Municipal, Non-profit & Authorities, and Conservation easements)
[insert figure Municipality name_OS]

Formatted: Font: 9 pt, Bold, No underline, Font color: Accent 1

Deleted: [insert municipal name]


Figure 14. Highlands Conservation Priority Areas

Deleted: [insert page break]

Deleted: 16


Deleted: ¶
[insert figure Municipality name CPA]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



Deleted: [insert municipal name]


Figure 15. Carbonate Rock Areas



- Carbonate Rock Area
- Preservation Area
- Municipal Boundaries

CALIFON BOROUGH

Figure 15: Carbonate Rock Areas



1 inch = 0.193 miles

Highlands
Council
New Jersey



Deleted: [insert page break]

Deleted: Figure 17. Highlands Special
Environmental Zone
[insert figure Municipality name_SEZ]
[insert page break]

Deleted: 18

Deleted:
[insert figure Municipality name_CRA]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1

Deleted: [insert municipal name]


Figure 16. Lake Management Area

Deleted: [insert page break]

Deleted: 19

Deleted: ¶
[insert figure Municipality name LMA]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



Deleted: [insert municipal name]


Figure 17. Net Water Availability

Deleted: [insert page break]

Deleted: 20

Deleted: ¶
[insert figure Municipality name_NWA]


Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



Net Water Availability by HUC14 Subwatershed
Million Gallons Per Day (MGD)

0.10 - 0.39
0.05 - 0.09
0.00 - 0.04
-0.09 - -0.01
-0.99 - -0.10
-7.10 - -1.00

Preservation Area
Municipal Boundaries



1 inch = 0.193 miles

Highlands
Council
New Jersey



Deleted: [insert municipal name]


Figure 18. Prime Ground Water Recharge Areas

Deleted: [insert page break]

Deleted: 21

Deleted: ¶
[insert figure Municipality name_PGR]


Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



- Prime Ground Water Recharge Areas
- Preservation Area
- Municipal Boundaries

CALIFON BOROUGH

Figure 18: Prime Ground Water Recharge Areas



1 inch = 0.193 miles

**Highlands
Council**
New Jersey



Deleted: [insert municipal name]


Figure 19. HUC 14s on NJDEP Impaired Waters List

Deleted: [insert page break]

Deleted: 22

Deleted: ¶
[insert figure Municipality name, (W)]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



Impaired Waters Overall Assessment by HUC14 Subwatershed

- Non Impacted
- Insufficient Data Available
- Moderate
- Water Quality Impaired
- Preservation Area
- Municipal Boundaries

CALIFON BOROUGH

Figure 19: HUC14's on NJDEP Impaired Waters List



1 inch = 0.193 miles

**Highlands
Council**
New Jersey



Deleted: [insert municipal name]


Figure 20. Wellhead Protection Areas

Deleted: [insert page break]

Deleted: 23

Deleted: ¶
[insert figure Municipality name WELL]



Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



CALIFON BOROUGH

Figure 20: Wellhead Protection Areas

- Public Community Wells
 - Public Non-Community Wells
- Wellhead Protection Areas
- 2-Year Tier
 - 5-Year Tier
 - 12-Year Tier
 - Preservation Area
 - Municipal Boundaries



1 inch = 0.193 miles

**Highlands
Council**
New Jersey



Deleted: [insert municipal name]

Figure 17. Agricultural Resource Area

Deleted: [insert page break]

Deleted: 24

Deleted: 21

Deleted: ¶

[insert figure Municipality name_ARA]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



Deleted: [insert municipal name]

Figure 18. Highlands Agricultural Priority Area

Deleted: [insert page break]


Deleted: 25

Deleted: 22

Deleted: ¶

[insert figure Municipality name AGR]


Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



Agricultural Priority Area
Low
Moderate
High
Preservation Area
Municipal Boundaries

CALIFON BOROUGH

Figure 22: Highlands Agricultural Priority Area



1 inch = 0.193 miles

Highlands
Council
New Jersey



Deleted: [insert municipal name]

Figure 19. Preserved Farms, SADC Easements, All Agricultural Uses

Deleted: [insert page break]


Deleted: 26

Deleted: 23

Deleted: ¶

[insert figure Municipality name AG&P]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



SADC Easements

SADC Final

SADC 8 Year

SADC Preserved

Preserved Farmland

Agriculture Uses


Preservation Area

Municipal Boundaries

Figure 23:

Preserved Farms, SADC Easements, All Agricultural Uses

CALIFON BOROUGH



1 inch = 0.193 miles

Highlands
Council
New Jersey



Deleted: [insert municipal name]

Figure 20. Important Farmland Soils

Deleted: [insert page break]


Deleted: 27

Deleted: 24

Deleted: ¶

[insert figure Municipality name .JFS]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1




Important Farmland Soils

- Prime Farmland
- Farmland of Local Importance
- Farmland of Statewide Importance
- Farmland of Unique Importance
- Preservation Area
- Municipal Boundaries

CALIFON BOROUGH

Figure 24: Important Farmland Soils



1 inch = 0.193 miles

Highlands
Council
New Jersey



Deleted: [insert municipal name]

Figure 21. Historic, Cultural, and Archeological Resources Inventory

Deleted: [insert page break]


Deleted: 28

Deleted: 25

Deleted: ¶


[insert figure Municipality name HIST]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



- Preservation Area
- Municipal Boundaries
- Archaeological Grids (1 sqmi)
- NJ Historic Districts
- Historic Property Points
- Historic Property Polygons

Figure 25:
Historic, Cultural & Archaeological Resources Inventory



1 inch = 0.193 miles

Highlands
Council
New Jersey



Deleted: [insert municipal name]

Figure 22. Baseline Scenic Resources Inventory

Deleted: [insert page break]

Deleted: 29

Deleted: 26

Deleted: ¶

[insert figure Municipality name SR]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



Deleted: [insert municipal name]


Figure 27. Highlands Contaminated Site Inventory

Deleted: [insert page break]

Deleted: 30

Deleted: ¶
[insert figure Municipality name CONT]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1




Highlands Contaminated Site Inventory

CALIFON BOROUGH

Figure 27: Highlands Contaminated Site Inventory

- Tier 1 Sites
- Tier 1 Sites (Polygons)
- Tier 2 Sites
- Preservation Area
- Municipal Boundaries



1 inch = 0.193 miles

Highlands
Council
New Jersey



Deleted: [insert municipal name]


Figure 28. Public Community Water Systems

Deleted: [insert page break]

Deleted: 31

Deleted: ¶


Formatted: Font: No underline, Font color: Accent 1



Deleted: [insert figure Municipality name_PUB]

Deleted: [insert municipal name]

Figure 29. Highlands Roadway Network



Roadway Network

Interstate Highways

U.S. Routes



State Routes

County Routes

Local Routes

Preservation Area

Municipal Boundaries



1 inch = 0.193 miles

Highlands Council
New Jersey



Deleted: [insert page break]
Figure 32. Highlands Domestic Sewerage
Facilities
[insert figure Municipality name_HDST]
[insert page break]

Deleted: 33

Deleted: ¶

Formatted: Font: No underline, Font color:
Accent 1

Deleted: [insert figure Municipality
name_ROAD]

Deleted: [insert municipal name]

Figure 23. Highlands Transit Network

Deleted: [insert page break]

Deleted: 34

Deleted: 30

Deleted: ¶

[insert figure Municipality name TRAN]

Formatted: Font: 9 pt, Bold, No underline,
Font color: Accent 1



Rail Network

- Boonton Line
- Main Line & Bergen County Line
- Morris and Essex Line
- Raritan Valley Line
- Freight Rail Lines
- Freight Rail Lines
- Abandoned Freight Rail

Other Features

- Rail Stations
- Park and Ride Sites
- Private Bus Lines
- NJ Transit Bus Lines
- Airports

CALIFON BOROUGH

Figure 30: Highlands Transit Network



1 inch = 0.193 miles




Deleted: [insert municipal name]

Appendix A. Preserved Land

Deleted: [insert page break]


Formatted: Font: No underline, Font color: Auto



Deleted: [insert municipal name]

Appendix B. Potable Water

Formatted: Font: (Default) +Body, No underline, Font color: Auto



Deleted: [insert municipal name]

Appendix C. RMP Updates

The information submitted to the Highlands Council in fulfillment of Module 1 of Basic Plan Conformance indicates several changes to the inventory of preserved properties and existing parcels served by public water systems. This information will be updated, verified and transmitted to the Highlands Council through the RMP Update process to ensure that Highlands maps are amended to correctly reflect the most accurate information available.

Moved (insertion) [1]

Deleted: said